Sr. No. 40263

Opened to check the Jumbling
Total No. of Printed pages: 26

(NOT TO BE OPENED BEFORE TIME OR TILL ASKED TO DO SO)

BPH-EE-2013

Code

CANDIDATES MUST READ THE FOLLOWING INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER & FOLLOW THEM.

- 1. All questions under Part-A and Part-B are compulsory. Part-C is optional. The candidates may attempt either Optional Part-C (i) OR Optional Part-C (ii). All questions carry equal marks i.e. one mark each.
- 2. The candidate MUST return this question book-let and the OMR Answer-Sheet to the Invigilator concerned before leaving the Examination Hall, failing which a case of use of unfair-means/misbehaviour will be registered against him/her, in addition to lodging of an FIR with the police. Further the answer-sheet of such candidate will not be evaluated.
- 3. The candidate MUST NOT do any rough work OR writing in the OMR Answer-Sheet. Rough work, if any, may be done in the question book-let itself.
- 4. In case there is any discrepancy in any question(s) in the Question Book-let, the same may be brought to the notice of the Controller of Examinations in writing within two hours after the test is over. No such complaint(s) will be entertained thereafter.
- 5. Use only blue or black ball point pen of good quality in the OMR Answer-Sheet.
- 6. There will be no negative marking. Each correct answer will be awarded one mark. Cutting, erasing, overwriting and more than one answer in the OMR Answer-Sheet will be treated as wrong answer.
- 7. BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED CORRECT & COMPLETE QUESTION BOOK-LETS. COMPLAINTS, IF ANY, REGARDING MISPRINTING ETC. WILL NOT BE ENTERTAINED 30 MINUTES AFTER THE START OF EXAMINATION.



Code-C

Part-A (Physics)

Question No.	Questions		
6 1. «	Four bulbs marked 40 W, 250 V are connected in series with 250 V mains, the total power consumed is		
	(1) 10 W (2) 40 W		
	(3) 320 W (4) 160 W		
2.	The resistance of an ideal voltmeter is		
e31 15**	(1) zero (2) infinite		
	$(3) > 1k\Omega \qquad (4) > 1\Omega$		
3.	A dip needle in a plane perpendicular to magnetic meridian will be (1) Vertical (2) Horizontal		
	(3) at an angle 45° to the horizontal(4) at an angle of dip to the horizontal		
4.	A power line lies along the east west direction and carries a current of 10 ampere. The force per metre due to earth's magnetic field of 10 ⁻⁴ T is (1) 10 ⁻⁵ N (2) 10 ⁻⁴ N (3) 10 ⁻³ N (4) 10 ⁻² N		
	(3) 10^{-3} N (4) 10^{-2} N		
5.	The maximum energy of a deutron coming out of a cyclotron accelerator is 20 MeV. The maximum energy of protons that can be obtained is		
	(1) 10 MeV (2) 20 MeV		
	(3) 30 MeV (4) 40 MeV		

Question No.	Questions			
6.	The magnitude of electric field strength E such that an electron placed in			
	it would experience an electric force	equal to its weight is given by		
And an analysis of the second	(1) mge (2) $\frac{r}{r}$	ng e		
	$(3) \frac{e}{mg} \qquad \qquad (4) \frac{e}{2}$	2 ² g 2m		
7.	The electric potential at the surface	The electric potential at the surface of an atomic nucleus (z=50) of radius		
and united and or an artist and or artist	9 Fermi is			
	(1) 80 Volt (2) 8	3×10 ⁶		
	(3) 9V (4) 9	0×10⁵V		
8.		이 얼마나는 사람이 되었다면 그렇게 되었다면 하는 사람들이 얼마나 얼마나 되었다. 그는 사람이 되었다면 그 사람이 되었다면 그렇게		
	(3) r (4) r			
9.	At a point on the axis of an electric dipole;			
	(1) The electric field E is zero .			
	(2) The electric potential V is zero			
	(3) Neither E nor V is zero			
	(4) Both E and V are zero			
10.	The quantity in electricity analogous to temperature is			
No. of Contrast State of Contr	(1) inductance (2)	charge		
	(3) resistance (4)	potential		



Question No.	Questions		
11.	The period of oscillations of a mass 1.6 kg suspended from a spring is 2 seconds. If along with it another mass m kg is also suspended, the period of oscillations increases by one second. The mass m is (1) 1 kg (2) 2 kg (3) 1.6 kg (4) 2.6 kg		
12.	Two coherent sources must have the same		
	(1) Amplitude (2) Phase difference only		
	(3) Frequency only (4) Phase difference and frequency		
13.	When a source is going away from a stationary observer with a velocity equal to that of sound in air, the frequency heard by observer will be		
	(1) Same (2) Double		
	(3) Half (4) One third		
14.	Ultrasonic waves are produced by		
	(1) Piezoelectric effect (2) Pettiro's effect		
	(3) Dopplers effect (4) None of these		
15.	Fundamental frequency of a sonometer wire is n. If the length, tension and diameter of the wire are tripled, the new fundamental frequency is		
	n alle and a second		
	(1) $\sqrt{3}$ (2) $\frac{11}{3}$		
	(3) $n\sqrt{3}$ (4) $\frac{n}{3\sqrt{3}}$		
16.	A ball is dropped from the top of a tower of height h, it covers a distance		
	h/2 in the last second of its motion. Here here it is it.		
	$h/2$ in the last second of its motion. How long the ball remains in air ? Take $g = 10 \text{ms}^{-2}$		
	(1) $2 \pm \sqrt{2} \sec$ (2) $\sqrt{2} \sec$		
	(3) 2 sec (4) $2\frac{1}{2}$ sec		

Question No.	Two particles are projected simultaneously in the same vertical plane, from the same point, both with different speeds and at different angles with horizontal. The path followed by one, as seen by the other, is		
17.			
	(1) a vertical line(2) a parabola(3) a hyperbola		
		a constant	angle (≠ 90°) with the horizontal
18.			alf its velocity after penetrating 25 cm e before coming to rest ? 25 cm.
	(3) 8.3 cm.	(4)	75 cm.
19.	A small ball describes a horizontal circle on the smooth inner surface of a conical funnel. If the height of the plane of the circle above the vertex be 10 cm; what is the speed of the particle?		
	(1) 2 m/s	(2)	4 m/s
	(3) 16 m/s	(4)	1 m/s
20.	A body is projected vertically upwards from the surface of a planet of radius R with a velocity equal to half the escape velocity of the planet. The maximum height attained by the body is		
	$(1) \frac{R}{2}$	(2)	$\frac{R}{3}$
	(3) R/ ₅	(4)	$\frac{R}{3}$ $\frac{R}{4}$



Question No.		Questions	
21.	Under the action of a force $F = Cx$, the position of a body changes from 0 to x . The work done is		
	(1) ½ Cx ²	$(2) Cx^2$	
	(3) Cx	(4) ½ Cx	
22.	The angle turned by a body	undergoing circular motion depends on time as	
	$\theta = \theta_0 + \theta_1 t + \theta_2 t^2$. Then the	angular acceleration of the body is	
	(1) θ_1	(2) θ_2	
	(3) 20 ₁	$(4) 2\theta_2$	
23.	A rocket of mass 1000 kg exhaust gases at a rate of 4kg/s with a velocity		
	3000 m/s. The thrust develo		
	(1) 12000 N	(2) 120 N	
	(3) 800 N	(4) 200 N	
24.	If λ is the wavelength of hydrogen atom from the transition $n=3$ to n then what is the wavelength of doubly ionized lithium ion for the sa		
	transition	Service and the service of the service	
	(1) $\frac{\lambda}{3}$	(2) 3λ	
	(3) 2/9	(4) 9λ	
25.	The dimensions of pressure gradient are		
	(1) $ML^{-2}T^{-2}$	(2) $ML^{-2}T^{-1}$	
	(3) ML ⁻¹ T ⁻¹	(4) $ML^{-1}T^{-2}$	

Questi No.	on Questions
26	
28.	The value of current at resonance in a series LCR circuit is affected by value of (1) R only (2) C only (3) L only (4) L, C and R In which of the following regions of electromagnetic spectrum will vibrational motion of molecules give rise to absorption? (1) Ultraviolet (2) Microwave (3) Infrared (4) Radio waves
29.	If the refracting angle of a prism is 60° and the minimum deviation 3 the angle of incidence will be (1) 30° (2) 45° (3) 60° (4) 90°
	The impurity concentration in a normal diode is equal to 1) 1 in 10 ⁹ Parts (2) 1 in 10 ⁶ parts 3) 1 in 10 ³ parts (4) 1 in 10 ² parts



Questio No.	Questions		
31.	At what temperature is the r.m.s. velocity of a hydrogen molecule equal to that of an oxygen molecule at 47°C? (1) 80 K (2) -73 K (3) 3 K (4) 20 K		
32.	A material has Poisson's ratio 0.5. If a uniform rot of this material suffers a longitudinal strain of 2×10 ⁻³ , what percentage increase in volume takes place? (1) 2% (2) 2.5% (3) 5% (4) 0%		
33.	A metallic sphere cools from 50°C to 40°C in 300 sec. If the room temperature is 20°C, then its temperature in next 5 minutes will be (1) 38°C (2) 33.3°C (3) 30°C (4) 36°C		
34.	PV diagram of a diatomic gas is a straight line passing through origin. The molar heat capacity of the gas in the process will be (1) $4R$ (2) $3R$ (3) $\frac{4}{3}R$ (4) $\frac{5}{2}R$		
35.	An elastic string has a length l when tension in it is 5N. Its length is h when tension is 4N. On subjecting the string to a tension of 9N, its length will be (1) $l+h$ (2) $l-h$ (3) $5l-4h$ (4) $\frac{l+h}{h-l}$		

	Part-B (Chemistry)		
Question No.	${f Questions}$ XeF $_6$ on complete hydrolysis gives :		
36.			
	(1) Xe (2) XeO_2		
	(3) XeO_3 (4) XeO_4		
37.	When one mol $CrCl_3$.6 H_2O is treated with excess of $AgNO_3$, 3 mol of		
24 1	$\operatorname{AgC}{l}$ are obtained. The formula of the complex is :		
	(1) $[CrCl_3 (H_2O)_3]$. 3 H_2O (2) $[Cr (H_2O)_6] Cl_3$		
	(3) $\left[\operatorname{CrC}l_{2}\left(\operatorname{H}_{2}\operatorname{O}\right)_{4}\right]\operatorname{C}l$. 2 $\operatorname{H}_{2}\operatorname{O}$ (4) $\left[\operatorname{CrC}l\left(\operatorname{H}_{2}\operatorname{O}\right)_{5}\right]\operatorname{C}l_{2}.\operatorname{H}_{2}\operatorname{O}$		
38.	Electronic configuration of a transition element X in + 3 oxidation state		
	[Ar] 3 d ⁵ , what is its atomic number?		
	(1) 25 (2) 26 (3) 27 (4) 24		
39.	Ethylidene chloride is a / an		
	(1) vic-dihalide (2) gem-dihalide		
	(3) allylic halide (4) vinylic halide		
40.	Phenol is less acidic than		
y	(1) ethanol (2) o-nitrophenol		
	(3) o-methyl phenol (4) o-methoxyphenol		
41.	The colloidal solution of gelatin is known as		
	(1) Solvent loving (2) Reversible		



(3) Hydrophilic

(4) All of the above

Question No.	Questions		
42.	Flux used in the metallurgy of iron is		
	(1) SiO ₂ (2) CaCO ₃		
2 2 3	(3) Felspar (4) Flit		
43.	Which of the following acids forms three series of Salts?		
	(1) H_3PO_2 (2) H_3BO_3		
	(3) H ₃ PO ₄ (4) H ₃ PO ₃		
44.	Oxygen molecules shows:		
	(1) Diamagnetism (2) Paramagnetism		
	(3) Ferromagnetism (4) Ferrimagnetism	1	
45.	Identify the molecular formula of tear gas:		
	(1) $COCl_2$ (2) CCl_3NO_2		
	(3) CCl ₃ CHO (4) None of above		
46.	Which of the following gases is not a green house gas?		
	(1) CO (2) O ₃		
	(3) CH ₄ (4) H ₂ O vapour		
47.	The edge length of face centred unit cubic cell is 508 pm. The radius	s of the	
	atom will be		
	(1) 179.6 pm (2) 288 pm		
	(3) 618 pm (4) 398 pm		

Question No.	Questions			
48.	The freezing point of 1 molal NaCl solution assuming NaCl to be 1			
	dissociated in water is: (Kf = 1.86 K Molality ⁻¹)			
	(1) $-1.86 ^{\circ}\text{C}$ (2) $-3.72 ^{\circ}\text{C}$			
	(3) +1.86 °C (4) +3.72 °C			
49.	While charging the lead storage battery			
	(1) Pb SO ₄ anode is reduced to Pb			
	(2) Pb SO ₄ cathode is reduced to Pb			
	(3) Pb SO ₄ cathode is oxidized to PbO ₂			
	(4) Pb SO ₄ anode is oxidized to PbO ₂			
50.	Which of the following is a unit of zero order reaction?			
	(1) $\text{mol } L^{-1} S^{-1}$ (2) $L \text{ mol}^{-1} S^{-1}$			
	(3) $L^{-1} \text{ mol}^{-1} S^{-1}$ (4) $L \text{ mol}. S$			
51,	A gas occupies 2 litres at STP. It is provided 300 J heat so that its volu			
	becomes 2.5 litres at 1 atm. Calculate change in its internal energy			
	(1) 300 J (2) 249.35 J			
	(3) 498.70 J (4) 600 J			
52.	What should be the solubility product of $A\ell_2$ (SO ₄) ₃			
	(1) $27 \mathrm{S}^4$ (2) $72 \mathrm{S}^5$			
	(3) $108 \mathrm{S}^4$ (4) $108 \mathrm{S}^5$			



BPH-EE-2013-Code-C

(10)

Question No.	Questions
53.	Which of the following arrangements represent increasing oxidation number of the central atom? (1) ClO_3^- , CrO_4^{2-} , MnO_4^- , CrO_2^- (2) CrO_2^- , ClO_3^- , MnO_4^- , CrO_4^{2-} (3) CrO_4^{2-} , MnO_4^- , CrO_2^- , ClO_3^- (4) CrO_2^- , ClO_3^- , CrO_4^{2-} , MnO_4^-
54.	In solid ice, oxygen atom is surrounded: (1) tetrahedrally by 4 hydrogen atoms (2) octahedrally by 2 oxygen and 4 hydrogen atoms (3) tetrahedrally by 2 hydrogen and 2 oxygen atoms (4) octahedrally by 6 hydrogen atoms
55.	The paramagnetic species is : $ (1) KO_2 \qquad \qquad (2) SiO_2 \\ (3) TiO_2 \qquad \qquad (4) BaO_2 $
56.	The total numbers of protons in 10.0 g of CaCO_3 is (1) 1.5057×10^{24} (2) 2.0478×10^{24} (3) 3.0115×10^{24} (4) 4.0956×10^{24}

Questio No.	Questions
57.	Which of the following sets of quantum numbers are correct? (1) $n = 1$, $\ell = 1$, $m = +2$
	(2) $n = 2$, $\ell = 2$, $m = +1$ (3) $n = 3$, $\ell = 2$, $m = -2$
	(4) $n = 3$, $\ell = 2$, $m = -2$ (4) $n = 3$, $\ell = 4$, $m = -2$
58.	Among halogens the correct order of electron gain enthalpy is:
	(1) $F > Cl > Br > I$ (2) $F < Cl < Br < I$
59.	(3) F < Cl < Br > I $(4) F < Cl > Br > I$
	The hybrid states of central atom in diborane, diamond and graph respectively:
	(1) sp^2 , sp^3 , sp^2 (2) sp^3 , sp^3 , sp^2 (3) sp^3 , sp^3 , sp^3 (4) sp^3
	(±) sp, sp ² , sp ³
C	Which pair of the gaseous diffuse through a small jet with same r liffusion at same P and T?
	1) NO, CO (2) NO, CO ₂
	$^{3)}$ NH_3 , PH_3 $^{(4)}$ NO , C_2 H_6
61. C	annizaro's reaction is not given by :
(1	CHO (2) CHO
(3)	HCHO (4) CH ₃ CHO



Question No.		Que	estions		
62.	Picric acid is				
	(1) Trinitroaniline	(2)	Trinitrotoluene		
	(3) Volatile liquid	(4)	2, 4, 6 – trinitrophenol		
63.	Which of the following acid is	a Vit	amin?		
	(1) Aspartic acid	(2)	Ascorbic acid		
	(3) Adipic acid	(4)	Saccharic acid		
64.	The commercial name of polya	crylo	onitrile is		
	(1) Dacron	(2)	Orlon		
	(3) PVC	(4)	Bakelite		
65.	Equanil is:				
	(1) artificial sweetener	(2)	tranquilizer		
	(3) anti histamine	(4)	antifertility drug		
66.	66. A solid compound 'X' on heating gives CO ₂ gas and a residue. The				
to Constitution and the second	mixed with water forms 'Y'.	On pa	assing an excess of CO ₂ through 'Y' in		
Translation and a second and a	water, a clear solution 'Z' is obta	ined	. On boiling 'Z' compound 'X' is reformed.		
	The compound 'X' is				
	(1) Ca (HCO ₃) ₂	(2)	Ca CO ₃		
	(3) Na ₂ CO ₃	(4)	K ₂ CO ₃		

Question No.	Questions					
67.	The wrong statement about fullerene is					
and the second s	(1) It has 5-membered Carbon ring					
and recommendation of the control of	(2) It has 6-membered Carbon ring					
	(3) It has sp ² hybridization					
	(4) It has 5-membered rings more than 6-membered rings					
68.	The chemical composition of cryolite mineral is					
	(1) $A\ell_2O_3$ (2) $A\ell_2O_3.12 H_2O$					
	(3) $KA\ell Si_3O_8$ (4) $Na_3 A\ell F_6$					
69.	$\mathrm{CH_3} - \mathrm{CHC}\ell - \mathrm{CH_2} - \mathrm{CH_3}$ has a chiral centre, which one of the fo					
accumosity of the control of the con	represents its R configuration?					
AVIII DELIVERA PARTITIVA DI PAR	C_2H_5					
Adamonto de Caración de Caraci	$C_{2}H_{5}$ $C_{2}H_{5}$ (1) $C_{2}H_{5}$ (2) $C_{2}H_{5}$					
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
	$_{1}^{\mathrm{CH}_{3}}$					
	(3) $H - C - C\ell$ (4) $H_3C - C - C\ell$					
. 27(0)	$\mathrm{C_2H_5}$					
70.	Wurtz reaction is best used for making:					
in the second se	(1) Unbranched alkanes (2) Symmetrical alkanes					
APPLATED TO A PROPERTY OF THE	(3) Unsymmetrical alkanes (4) n-alkanes with odd number of o					

(14)

BPH-EE-2013-Code-C



Part-C Option (i) (Mathematics)

Question No.	Questions				
71.	$\cos^{-1}\frac{1}{2} + 3\sin^{-1}\frac{1}{2} =$				
	(1) $\frac{\pi}{6}$ (2) $\frac{4\pi}{3}$				
	(3) $\frac{3\pi}{4}$ (4) $\frac{5\pi}{6}$				
72.	If w is one of the cube roots of unity, then				
	$\begin{vmatrix} 1 & w & w^2 \\ w & 1 & w^2 \\ w^2 & w & 1 \end{vmatrix} =$				
	(1) w^2 (2) w				
	(3) 0 (4) 1				
73.	If $A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ x & y & -1 \end{bmatrix}$, then $A^2 = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 1 & 0 \end{bmatrix}$				
	(1) I ₃ (2) A				
	(3) $-A$ (4) I_2				
74.	If $f(x) =\begin{cases} m x + 1, & x \le \frac{\pi}{2} \\ \sin x + n, & x > \frac{\pi}{2} \end{cases}$				
Commonweal and an extension of the exten	and f (x) is continuous at $x = \frac{\pi}{2}$, then				
	(1) $m = \frac{n\pi}{2} + 1$ (2) $m = n = \frac{\pi}{2}$				
	(3) $n = m \frac{\pi}{2}$ (4) $m = 1, n = 0$				

Question No.	1	Questions			
75.	The maximum value of xy subject to $x + y = 12$ is				
	(1) 16 (2) 18	(3) 24 (4) 36			
76.	If $y = \sqrt{\sin x + \sqrt{\sin x + \sqrt{\sin x}}}$	$\frac{1}{\sin x + \cdots + \infty}$ then $\frac{dy}{dx} = \frac{1}{\cos x}$			
	$(1) \frac{2 y - 1}{\cos x}$	$(2) \frac{\cos x}{2 \times -1}$			
	$(3) \frac{\cos x}{2 y - 1}$	$(4) \frac{2 \times -1}{\cos x}$			
	order then which of the following the following states between the following states are states as the following states ar	to 65 and divisible by 4 are written in llowing numbers will be at 10th place? (2) 28	re		
		(4) 36			
78.	Each observation of a raw then the variance of the ne	data whose variance is σ^2 is multiplied where σ^2 is much σ^2 is multiplied where σ^2 is much σ^2 is muc	d k		
PARTY VARIATION AND A STATE OF THE STATE OF	(1) σ^2	(2) $K \sigma^2$			
	(3) $K^2 \sigma^2$	$(4) K + \sigma^2$			
79.	Three identical dice are rolled. The probability that the same number				
8	appear on each of them is	and the same of th	CI		
	1) $\frac{1}{36}$	(2) $\frac{1}{18}$			
- 1					



No.	Questions			
80.	A speaks truth in 70% cases and B speaks truth in 80% cases. The probability that they say the same thing while describing single event is (1) 0.58 (2) 0.62 (3) 0.64 (4) 0.76			
81.	If $ z ^2 + 1 = z^2 - 1 $, then z lies on			
	(1) circle (2) ellipse			
	(3) parabola (4) none of these			
82.	The inequalities $3 \times -y \ge 3$, $4 \times -y > 4$ have (1) solution for all x (2) solution for all y (3) solution for positive x and y (4) no solution for positive x and y			
83.	Three dice are rolled. The number of possible outcomes in which at least one die shows 3 is			
	(1) 36 (2) 42			
	(3) 81 (4) 91			
4. I	If "P _r = 120 "C _r , then the value of r is			
8	1) 3 (2) 4			
(3	3) 5 (4) 6			

Question No.	Questions				
85.	In the expansion of $\left(x^3 - \frac{1}{x^2}\right)^{15}$, the constant term is				
	(1) $^{15}C_9$ (2) $^{-15}C_9$				
	(3) 0 (4) $\frac{3}{2}$				
86.	If $X = \{1, 2, 3,\}, Y = \{3, 4\}, Z = \{4, 5, 6\}$ then $X \cup (Y \cap Z)$ is				
	(1) {4, 5} (2) {1, 2, 5, 6}				
	(3) {1, 2, 3, 4} (4) {1, 3, 6}				
87.	Let $A = \{(a, b) : a^2 + b^2 = 1, a, b \in R\}$. Then A is				
	(1) symmetric (2) antisymmetric				
	(3) reflexive (4) transitive				
88.	If $f(x) = 2 x^n + K$, $f(2) = 26$ and $f(4) = 138$, then $f(3) =$				
	(1) 86 (2) 32				
	(3) 56 (4) 64				
89.	If $\sin \theta + \cos \theta = \sqrt{2} \cos \theta$, then $\cos \theta - \sin \theta =$				
	$(1) -\sqrt{2} \cos \theta$				
	(2) $\sqrt{2} \left(\cos \theta + \sin \theta\right)$				
	(3) $-\sqrt{2}\sin\theta$				
	(4) $\sqrt{2} \sin \theta$				



Question No.	Questions
90.	If $\frac{\sin (x+y)}{\sin (x-y)} = \frac{a+b}{a-b}$, then $\frac{\tan x}{\tan y} =$
	$(1) \frac{b}{a} \qquad \qquad (2) \frac{a}{b}$
	$(3) \frac{a-b}{a+b} \qquad (4) ab$
91.	The value of $\int_1^6 e^{\sqrt{x}} dx$ is
	(1) $4 e^3$ (2) $6 e^3$ (3) $2 e^3$ (4) $3 e^3$
92.	The area of the figure bounded by $y = \sin x$, $y = \cos x$ in the first quadrant is
	(1) $2(\sqrt{2}+1)$ (2) $2(\sqrt{2}-1)$
	(3) $2(\sqrt{3}-1)$ (4) $\sqrt{2}-1$
93.	The solution of the differential equation $y \frac{dy}{dx} = x - 1$ satisfying $y(1) = 1$ is
	(1) $y^2 = x^2 - 2x + 2$ (2) $y^2 = x^2 - 2x + 1$ (3) $y = x^2 - 2x + 2$ (4) $y^2 = x^2 + 2x + 2$
94.	If \vec{a} and \vec{b} are two unit vectors inclined at an angle θ such that $\vec{a} + \vec{b}$ is a unit vector, then θ is equal to
A CONTRACTOR OF THE CONTRACTOR	(1) $\frac{\pi}{3}$ (2) $\frac{3\pi}{2}$ (3) $\frac{2\pi}{3}$ (4) $\frac{\pi}{4}$
95.	If α , β , γ are the angles which a directed line makes with the positive directions of the coordinate areas, then $\sin^2 \alpha + \sin^2 \beta + \sin^2 \gamma =$
	(1) 0 (2) 2 (3) 1 (4) 3

Ques		No. of Concession, Name of Street, or other Persons, Name of Street, or ot
	Questions	
9	6. If $\frac{1}{b+c}$, $\frac{1}{c+a}$, $\frac{1}{a+b}$ are in A.P., then	
	(1) a^2 , b^2 , c^2 are in A.P.	
	(2) a, b, c are in A.P.	
	(3) $\frac{1}{a}$, $\frac{1}{b}$, $\frac{1}{c}$ are in A.P.	
	(4) a, b, c are in G.P.	
97.	The nearest point on the line 3 y 4	
	The nearest point on the line $3 \times -4 y = 25$ from the origin is (1) $(3, -4)$	
	(3) (3.4)	
98.	(4) (4, 3) The area of the size 1	
	The area of the circle centred at (1, 2) and passing thro point (4, 6) is	ug
	(1) 16π (2) 25π	
	(3) 36π (4) 49π	
99.	The ratio in which xy-plane divides the join of (1, 2, 3) and (4, 2, 1) (1) 2:1 internally	
	(1) 2:1 internally (2) 1:2 and (4, 2, 1)) is
	(3) 1:3 internally (2) 1:2 externally (3) 3:1 externally	
00.	$\lim_{x \to -\infty} \left(2 x + \sqrt{4 x^2 - x} \right) =$	
	(1) 2 (2) 4	
1	3) $\frac{1}{2}$ (4) $\frac{1}{2}$	
1	$\frac{3}{2}$ (4) $\frac{1}{4}$	



Quest No.	Uoni	COption-(ii) (Biology) Cod
10		Questions
	1. The protective covering of (1) Pleura (3) Pericardium	of brain is: (2) Meninges
102		
103.	(3) Fallopian tube	(2) Vagina (4) Ovary
	(1) Methane (3) Carboxy haemoglobin	g is due to the formation of: (2) Carbonic acid
104.	Abnormal secondary growth (1) Cucurbita (3) Triticum	(2) Dracaena
	Which is the causative organi (1) Salmonella typhi (2) Mycobacterium typhi (3) Plasmodium falciparum (4) All of the above	ism of Typhoid?
(3)	Patients suffering from AIDS h	nave following immune abnormalities :



100	MARKET CONTENTS OF THE PARTY OF				
107.	Which of the following is essential for blood clotting?				
	(1)	Lymph	(2)	Blood platelets	
	(3)	R. B. C.	(4)	W. B. C.	
108.	The	saliva helps in the digestion of:			
	(1)	Starch	(2)	Proteins	
	(3)	Fibres	(4)	Fats	
109.	Goit	re is caused by			
And a second or a second	(1)	Over eating			
	(2)	Deficiency of Iron		ing on the contract of the con	
	(3)	Deficiency of Iodine			
	(4)	Deficiency of Vitamins			
110.	Test	osterone is secreted by:			
	(1)	Histocyte	(2)	Sertoli cells	
20 de 10 de	(3)	Leydig cells	(4)	Primary spermatocyte	
111.	Gen	e therapy is:			
	(1) Method to determine blood group				
	(2) Method to replace a defective gene with a healthy gene				
	(3) Method to determine evolution				
	(4)	All of the above		mana atah ilipadi at ili	
112.	Hardy-Weinberg law in a population represents				
	(1)	Allele frequency	(2)	Heterozygote frequency	
	(3)	Genotype frequency	(4)	Homozygote frequency	



Question No.	Que	estion	S			
113.	A mother of blood group O has a group O child, the father could be of blood type.					
	(1) A or B or O	(2)	A or B			
	(3) O only	(4)	A B only			
114.	Interspecific hybrids proved very	useful f	for:			
	(1) Gene function	(2)	Gene mapping			
	(3) Gene structure	(4)	Genetic manipulation			
115.	Systematics deals with:					
	(1) Classification of organisms					
	(2) Identification of organisms					
	(3) The kind and diversity of all organisms and existing relationships					
	among themselves					
	(4) None of the above					
116.	Hydroponics is:					
	(1) Soil less culture	(2)	Water less culture			
	(3) Air less culture	(4)	Nutrient less culture			
117.	Bt crop grown by the farmers in India is:					
	(1) Maize	(2)	Wheat			
	(3) Cotton	(4)	Tomato			
118.	Age of tree can be estimated by:					
	(1) Height and girth	(2)	Biomass			
	(3) Cork	(4)	Number of Annual rings			

Questio No.	n	Questions			
119.	In DNA, adenine norma	In DNA, adenine normally pair with			
	(1) Guanine	(2) Cytosine			
	(3) Thymine	(4) Uracil			
120.	The genotypic ratio of m	onohybrid cross is :			
	(1) 3:1	(2) 9:3:3:1			
	(3) 1:1	(4) 1:2:1			
121.	Vinegar is obtained from	mollasses with the help of:			
	(1) Aspergillus	(2) Rhizopus			
	(3) Acetobacter	(4) Penicillium			
122.	The amount of ATP require C_4 pathway is:	red for the synthesis of one glucose molecu			
	(1) 18 ATP	(2) 20 ATP			
	(3) 28 ATP	(4) 30 ATP			
123.	What are the natural rese	rvoir of phosphorus?			
	(1) Rock	. (2) Animal bones			
(3) Sea water	(4) Plants			
24. T	The tropical forests in India	a are located in :			
	1) Haryana	(2) Himachal Pradesh			
(3	3) Jammu & Kashmir	(4) Andamans			



Question No.	n	Questions												
125.	Which of the following is an eye disease?													
	(1) Measles	(2) Bronchitis												
	(3) Glaucoma	(4) Diabetes												
126.	Down syndrome is usually th	e result of an extra chromosome :												
	(1) 15	(2) 17												
	(3) 19	(4) 21												
127.	The two strands of DNA are joined by:													
	(1) Covalent Bond	(2) Ionic Bond												
	(3) Hydrogen Bond	(4) Phosphodiester Bond												
128.	Which is the most primitive group of algae?													
	(1) Green algae	(2) Blue green algae												
	(3) Red algae	(4) Brown algae												
129.	During cell cycle DNA synthes													
	(1) Prophase	(2) S phase												
	(3) G1 phase	(4) G2 phase												
130.	Photosynthetic pigments are located in the:													
	(1) Thylakoid membrane	cated in the .												
	(2) Inner membrane													
	(3) Outer membrane													
	(4) Thylakoid lumen													

SET	COD	E :	C			BPH-EE-2	012			0.1/0.0/						
	- 1				0	(4)				24/06/2013						
_	1		11	-	2	21 -	. 1	31	- 4	41 - 4	51 -	2	6	1 -	- 4	Ļ
2	- 2		12	_	4	22 -	4	32	- 4	42 - 2	52 -	4	. 6.	2 -	- 4	
3	- 1		13	-	3	23 -	1	33	- 2	43 - 3	53 -	4	6:	3 -	- 2	
4	- 3		14	=	1	24 -	3	34	- 2	44 - 2	54 -	1	64	1 -	2	
5	- 4		15	-	4	25 -	1	35	- 3	45 - 2	55 -	1	65	5 -	2	
6	- 2		16	_	1	26 -	2	36	- 3	46 - 1	56 -	3	66	5 -	2	
7,,	- 2		17	_	4	27 -	1	37	- 2	47 - 1	57 -	3	67	<i>'</i> –	4	
8	- 3		18	_	4	28 -	2	38	- 2	48 - 2	58 -	4	68	3 –	4	
9	- 3		19	_	4	29 -	2	39	- 2	49 - 1	59 -	2	69) _	2	
10	- 4		20	-	2	30 -	2	40	- 2	50 - 1	60 -	д Д	7.0	_	2	

	CODE :	11	BPH-EE-		(BIO	LOGY) 31 -	24/06/2013 41 -	51 -	61 -	71 -	81 -	91 -
2	- 3	12	- 3	22 -	- 4	32 -	42 -	52 -	62 -	72 -	82 -	92 -
3	- 3	13	- 1	23 -	- 1	33 -	43 -	53 -	63 -	73 -	83 -	93 -
4	- 2	14	- 2	24 -	- 4	34 -	44 -	54 -	64 -	74 -	84 -	94 -
5	- 1	15	- 3	25 -	- 3	35 -	45 -	55 -	65 -	75 -	85 -	95 -
6	- 1	16	- 1	26 -	- 4	36 -	46 -	56 -	66 -	76 -	86 -	96 -
7	- 2	17	- 3	27 -	- 3	37 -	47 -	57 -	67 -	77 -	87 -	97 -
8	- 1	18	- 4	28 -	- 2	38 -	48 -	58 -	68 -	78 -	88 -	98 -
9	- 3	19	- 3	29 -	- 2	39 -	49 -	59 -	69 -	79 -	89 -	99 -
10	- 3	20	- 4	30 -	- 1	40 -	50 -	60 -	70 -	80 -	90 -	100 -

		ODE	:			PH-EE-					ATICS)	2	24/06/20	013									
1	-	4		11	-	4	21	, -	1	31	_	41	-	51	-	61	_	71	= 1	81	-	91	-
2	-	3		12	_	3	22	-	2	32	-	42	-	52	-	62	-	72	-	82	_	92	_
3	-	1		13	-	4	23	-	1	33	-	43	-	53	-	63	-	73	_	83	=	93	_
4	-	3		14	_	3	24	-	3	34	_	44	-	54	_	64	-	74	-	84	_	94	_
5	-	4		15	_	2	25	-	2	35	-	45	-	55	= ,	65	-	75	_	85	_	95	_
6	-	3		16	-	3'	26	_	1	36	_	46	-	56	-	66	-	76	-	86	_	96	_
7	-	2		17	-	1	27	-	1	37	-	47	-	57	- ,	67	-	77	-	87	_	97	-
8	-	3		18	-	4	28	-	2	38	_	48	-	58	-	68	-	78	_	88	-	98	_
9	-	1		19	_	4	29	-	4	39	-	49	-	59	_	69	-	79	-	89	_	99	_
10	_	2		20	-	2	30	_	4	40	_	50	_	60	_	70	_	80	_	90	_	100	

P