SET-"Y" (Total No. of printed pages : 25)

(DO NOT OPEN THIS QUESTION BOOKLET BEFORE TIME OR UNTIL YOU ARE ASKED TO DO SO)

PHD-EE, November-2025 UIET (ELECTRICAL ENGINEERING)

Sr. No. 10009

Code



Time: 1¼ Hours Total Ques		ions : 100	Max. N	larks : 100
Roll No.	(in figure)			(in words)
Name :	-	Date of Birth :	P	_ (== ,, or as)
Father's Name:		Mother's Name:		
Date of Examination :			1	

(Signature of the candidate)

(Signature of the Invigilator)

CANDIDATES MUST READ THE FOLLOWING INFORMATION/ INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER.

All questions are compulsory.

The candidates must return the Question book-let as well as OMR answer-sheet to the Invigilator concerned before leaving the Examination Hall, failing which a case of use of unfair-means / mis-behaviour will be registered against him / her, in addition to lodging of an FIR with the police. Further the answer-sheet of such a candidate will not be evaluated.

3. Keeping in view the transparency of the examination system, carbonless OMR Sheet is provided to the candidate so that a copy of OMR Sheet may be kept by

the candidate.

4. Question Booklet along-with answer key of all the A,B,C and D code shall be got uploaded on the University Website immediately after the conduct of Entrance Examination. Candidates may raise valid objection/complaint if any, with regard to discrepancy in the question booklet/answer key within 24 hours of uploading the same on the University website. The complaint be sent by the students to the Controller of Examinations by hand or through email. Thereafter, no complaint in any case will be considered.

5. The candidate MUST NOT do any rough work or writing in the OMR Answer-Sheet. Rough work, if any, may be done in the question book-let itself. Answers

MUST NOT be ticked in the Question book-let.

6. There will be negative marking and a deduction of 0.25 marks for each wrong answers. Cutting, erasing, overwriting and more than one answer in OMR Answer-Sheet will be treated as incorrect answer.

7. Use only Black or Blue BALL POINT PEN of good quality in the OMR Answer-

Sheet.

8. BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED CORRECT AND COMPLETE BOOK-LET. COMPLAINTS, IF ANY, REGARDING MISPRINTING ETC. WILL NOT BE ENTERTAINED 30 MINUTES AFTER STARTING OF THE EXAMINATION.



SET-Y Code-A

Question No.	Questions
1.	Fundamental research is primarily aimed at:
	(1) Developing new technology for immediate application
	(2) Exploring theoretical foundations without direct commercial intent
	(3) Solving specific industrial problems
	(4) Conducting market feasibility studies
2.	In academic research, plagiarism primarily violates which ethical
	principle?
	(1) Beneficence
	(2) Integrity and intellectual honesty
	(3) Non-maleficence
	(4) Confidentiality
3.	A researcher studies the impact of social media on students' academic
	performance by conducting interviews and thematic coding. This
	performance by conducting interviews and thematic coding. This represents which research approach?
5	
	represents which research approach?
19	(1) Quantitative descriptive
2012.00	represents which research approach? (1) Quantitative descriptive (2) Experimental
4.	represents which research approach? (1) Quantitative descriptive (2) Experimental (3) Meta-analytic
4.	represents which research approach? (1) Quantitative descriptive (2) Experimental (3) Meta-analytic (4) Qualitative phenomenological
4.	represents which research approach? (1) Quantitative descriptive (2) Experimental (3) Meta-analytic (4) Qualitative phenomenological What is the key characteristic of the scientific method in research?
4.	represents which research approach? (1) Quantitative descriptive (2) Experimental (3) Meta-analytic (4) Qualitative phenomenological What is the key characteristic of the scientific method in research? (1) Dependence on intuition

Question	Questions Code-A
10.	An in-depth interview technique is most appropriate when:
	(1) A large sample needs to be surveyed quickly
	(2) The study focuses on participants' perceptions and experiences
	(3) Respondents prefer anonymity
	(4) Quantitative comparison is required
11.	Which measure of central tendency is most affected by extreme values?
	(1) Mean
	(2) Median
	(3) Mode
	(4) Range
12.	During thesis writing, a bibliography differs from a reference list
	because:
	(1) It includes only cited works
	(2) It includes both cited and consulted works
	(3) It excludes books
1	(4) It contains only web sources
13.	A researcher adopts mixed methods combining survey data and
	interviews. This approach is used primarily to:
	(1) Minimize data redundancy
	(2) Avoid statistical computation
	(3) Replace quantitative analysis
	(4) Validate findings through triangulation

No.	
	(2)
	(3)
74	(4)
15.	In the research process, (1) Before literature re
	(2)
	(3)
	(4)
16.	In a
	(1)
	(2)
	(3)
	(4)
17.	An empirical study primarily depends on
	Ξ
	(2)
	(3)
eir a	(4)
18.	À good research problem must be
	Ξ
	(2)
-	(3)

Question No.	Questions
19.	Which of the following best ensures research reliability?
	(1) Clear hypotheses
	(2) Inclusion of multiple variables
	(3) Consistency in measurement procedures
	(4) Novel topic selection
20.	The concept of informed consent ensures that participants:
	(1) Are randomly selected
	(2) Receive financial incentives
	(3) Understand the study and agree voluntarily
	(4) Are anonymous
21.	In observational research, the Hawthorne effect refers to:
	(1) Respondents falsifying data intentionally
	(2) Participants altering behavior when observed
	(3) Interviewer's bias in recording responses
	(4) Data loss during analysis
22.	Secondary data is advantageous mainly because it:
	(1) Is always more accurate
	(2) Eliminates bias entirely
	(3) Requires no ethical approval
	(4) Saves time and cost for preliminary insights
23.	The most critical feature of a good hypothesis is:
	(1) Non-testability
	(2) Vagueness
	(3) Testability and falsifiability
	(4) Lack of prediction

Question	Questions
24.	While writing a research paper, paraphrasing must always be
	accompanied by:
	(1) New data
	(2) Source citation
	(3) Footnotes only
	(4) Statistical validation
25.	The literature review primarily helps a researcher to:
	(1) Skip the background section
	(2) Prove the hypothesis before data collection
	(3) Identify gaps and justify the new study
	(4) Avoid referencing
26.	The scope of research in engineering disciplines often emphasizes:
	(1) Application of fundamental principles to solve technical problems
	(2) Historical review of theories only
	(3) Social observation
	(4) Political implications
27.	A sampling frame is defined as:
	(1) The total population of the world
	(2) A complete list of units from which a sample is drawn
	(3) The process of selecting random variables
	(4) An algorithm for data analysis
28.	Which of the following ensures validity of a research to 19
	(1) Using complex questions
	(2) Simple statistical computation
1	(3) High response rate
	(4) The tool measures exactly what it is interest it
	wind it is intended to measure

Question No.	а	Questions
29.	In	In research ethics, fabrication refers to :
;	(1)	Copying data from others
	(3)	Using another's ideas with citation
	(3)	Making up data or results
	4)	Modifying tables
30.	Aw	A well-designed questionnaire should include:
	3	Leading questions to guide responses
	(3)	Jargon and technical bias
	(3)	Repetitive statements
	4	Logical sequence and clear wording
31.	An	appropriate software for statistical data analysis and graphical
	repi	representation is:
	<u> </u>	MS Paint
	8	SPSS or R
	(3)	WordPad
	4	VLC Media Player
32.	In q	In quantitative research, ANOVA is used to:
	Ξ	Compare variances across multiple groups
	8	Analyze qualitative responses
	@	Compute median values
	4	Summarize textual data
33.	Whi	Which measure best describes data skewness?
	$\widehat{\Xi}$	Mean deviation
•	8	Standard error
	3	Kurtosis
	4	Skewness coefficient

Question No. 34.
z i
35.
36.
37. The
38.
(3)
(4)

No	Questions
39.	The process of referencing in research ensures:
	(1) Reduction of originality
	(2) Traceability of information sources
	(3) Elimination of peer review
	(4) Avoidance of data collection
40.	The final chapter of a thesis generally focuses on:
	(1) Data collection tools
	(2) Literature survey
	(3) Abstract writing
	(4) Results interpretation and future scope
41.	A conceptual framework in research is developed to:
	(1) Show the visual or theoretical relationship among variables
	(2) Replace data analysis
	(3) Reduce hypothesis complexity
	(4) Avoid graphical representation
42.	The best way to ensure objectivity in research reporting is
	(1) Use personal opinions
	(2) Include emotional interpretation
	(3) Rely on verifiable data and established methodology
i .	(4) Avoid referencing past studies
43.	Which type of sampling provides equal chance for every
	selected?
	(1) Purposive sampling
	(2) Random sampling
	(3) Snowball sampling
	(4) Quota sampling

47.	46.	\$5	4	Question
When publishing in reputed journals, peer review serves to: (1) Delay publication (2) Validate research quality and originality (3) Eliminate author rights	The process of converting raw data into meaningful interpretation is called: (1) Data coding and analysis (2) Data transcription only (3) Data entry (4) Report binding	The credibility of qualitative data can be enhanced through: (1) Prolonged engagement and triangulation (2) Statistical modeling (3) Limiting participant interaction (4) Reducing sample size	A pilot study is useful for: (1) Testing tools and refining methodology before main research (2) Collecting full-scale data (3) Final report submission (4) Publishing findings	-

	51.	50.	ż	48.	Question
the current passing the terminal $i = (3t^2 - t)A$ is (1) $\frac{11}{2}c$ (2) $\frac{13}{2}c$ (3) $\frac{7}{2}c$ (4) $\frac{9}{2}c$	 (3) Replace bibliography (4) Expand the word count The total charge entering a terminal between t = 1 sec and t = 2 sec it 	티	 The title of the article The editor's name A journal abbreviation Additional co-authors beyond the first 	antage of using computias elimination and control to handle large data anual effort data visualization	M-anon

<u> </u>	(3)	(2)	(1)	W	7	54. At	(4)	(3)	(2)	0	ь	ק	н.	53.			_			52.	Question No.
		120 W) 160 w	hat is the n	sistance ar	t the terminal) -0.2 A) -1A) -2 A	(1) -20 A	branch?	polarity is	nput source	The current	(4) 5	(3) 7	(2) 12	(1) 17	independent loops.	no	
				What is the maximum power that can be supplied to the load?	resistance and Thevenin's	ठ						reversed, w	input source voltage is 10 V. If the voltage is reduced	through a					loops.	nodes are the	
				ower that co	n's voltage are	which the lo						what will b	10 V. If the	branch in						there in a n	Ques
				an be suppl	10 Q	load is cor		to de deservi				be the cur	voltage is	a linear n						network hav	Questions
				ied to the l	and 40 V,	connected, the		Water and				current through	reduced to	network is 2						having 12 br	
				oad?	respectively	e Thevenin's						gh the same	o 1 V and the	A when the						branches and	Code

57.	56.	55.
A three-phase star-connected load takes 1.8 kW at a power factor of 0.5 from a 230 V, 60 Hz supply. The resistance and inductance of each phase of the load, respectively are: (1) 7.35 Ω, 25.6 mH (2) 7.35 Ω, 33.8 mH (3) 7.35 Ω, 45.6 mH (4) 7.35 Ω, 52.2 mH	A series-connected load draws a current $i(t) = 4 \cos(100\pi t + 10^\circ)A$ when the applied voltage is $v(t) = 120 \cos(100\pi - 20^\circ)V$. The apparent power and the power factor of the circuit, respectively are: (1) 240 VA, 0.866 leading (2) 240 VA, 0.866 leading (3) 480 VA, 0.866 leading (4) 480 VA, 0.866 leading	Energy stored in a 10 mH inductor when the current through it increases from zero to 2 A is (1) 10 J (2) 0.2 J (3) 0.04 J (4) 0.02 J

Question	Questions
58.	Which three-phase connection can be used in a transformer to
	introduce a phase difference of 30° between its output and
	corresponding input line voltages?
	(1) Delta-zigzag
	(2) Star-star
	(3) Delta-delta
	(4) Star-delta
59.	A rotating electrical machine having its self-inductances of both the
	stator and the rotor windings, independent of the rotor position will be
	definitely not developed:
	(1) Starting torque
	(2) Synchronizing torque
	(3) Hysteresis torque
- T-4-	(4) Reluctance torque
.09	A synchronous generator is supplying a zero-power factor (lagging)
	of the armature reac
	(1) Ineffective
	(2) Demagnetizing
	(3) Cross-magnetizing
	(4) Magnetizing
61.	The DC motor, which can provide zero speed regulation at full load
	The regulation at the
	(1) Differential compound
	(2) Cumulative compound
	(3) Shunt
	(A) Sories

Question	Questions
62.	A 2 pole, 50 Hz, 11 kV, 100 MW alternator has an inertia constant is
	4s. The approximate value of moment of inertia in (kg.m²) is?
	(1) 8070
	(2) 8090
	(3) 8110
	(4) 8130
63.	If the base kVA is 25,000, then a 5000 kVA alternator with 8%
	reactance will have (per-unit or percentage reactance on the
	new base).
	(1) 20% reactance
	(2) 30% reactance
*	(3) 40% reactance
	(4) 50% reactance
64.	When a synchronous motor is running at synchronous speed, the
	damper winding produces:
	(1) Damping torque
	(2) Eddy current torque
	(3) Torques aiding the developed to torque
	(4) No torque
65.	If the iron core of a transformer is replaced by an air core, then the
	hysteresis losses in the transformer will:
	(1) increase
	(2) decrease
	(3) remain unchanged
	(4) become zero

Question	Questions
66.	Convolution of $x(t + 5)$ with impulse function $\delta(t - 7)$ is equal to:
	(1) $\mathbf{x}(\mathbf{t}+2)$
	(2) $x(t-2)$
	(3) $x(t + 12)$
	(4) $x(t-12)$
.29	In the state-equation of a discrete-time system (assume zero input), an
	equilibrium point is one for which, where x(k) is the state vector.
	(1) x(k) = 0
	(2) $x(k+1) = 0$
	(3) Both (1) and (2)
	(4) $x(k + 1) = x(k)$
.89	A linear system is described by the state-space model $x(t) = -x(t) + 2u(t)$,
	$y(t) = 0.5x(t) + u(t)$. The transfer function $\frac{y(s)}{u(s)}$ of the system is
	(1) $(s+2)/(s+1)$
	(2) $1/(s+1)$
	(3) $(s+1)/(s+2)$
	(4) $1/(s+2)$
.69	Consider a continuous-time system with input, x(t) and output, y(t)
Ja	
_	1) Linear, time-variant
	2) Linear, time-invariant
<u> </u>	(3) Nonlinear, time-invariant
3	(4) Nonlinear, time-variant

Question	questions
70.	Poles of second-order models with the same damping ration will lie:
	(1) On the real axis
	(2) On imaginary axis
	(3) On a radial line from origin
	(4) None of these options
71.	In force-voltage analogy, the analogy for the displacement is:
	(1) Current
	(2) Charge
	(3) Resistance
	(4) Flux linkage
72.	Consider the loop transfer function $\frac{K(s+2)(s+6)}{(s+1)(s+3)(s+5)}$, the centroid of the
	root locus will be located at:
	(1) 4
	(2) -1
	(3) -2
	(4) -3
73.	In an ideal op-amp, the voltage gain of the common-mode signal is
	(1) 0,
	(2) 1
	(3) infinity
	(4) depends on the input

Question	Questions
Na	
74.	
	to be
	(1) Undamped
	(2) Underdamped
	(3) Critically Damped
	(4) Overdamped
75.	The ratio of maximum demand on generating station to the installed
	capacity of plant gives:
T _a e.	(1) Load factor
	(2) Operating factor
	(3) Utilization factor
	(4) Capacity factor
.92	Which of the following transmission lines can be classified as a short
	transmission line?
	(1) length up to 600 km
	(2) length up to 500 km
	(3) length up to 200 km
	(4) length up to 80 km
77.	Which of the following reaches full-load operation the fastest when
	(1) Gas turbine plant
	(2) Nuclear power plant
	(3) Hydro power plant
	(4) Thermal power plant

Question	Questions
78.	In a load flow problem solved by Newton-Raphson method with polar
5	coordinates, the size of the Jacobian matrix is 100×100. If there are 20
	PV buses in addition to PQ buses and a slack bus, the total number of
	buses in the system is:
	(1) 59
Career .	(2) 60
	(3) 61
	(4) 71
79.	In thermal power plants, the pressure in the working fluid cycle is
	developed by:
	(1) Feed water pump
	(2) Condenser
	(3) Super-heater
	(4) Turbine
80.	A power system is supplied by three generating units rated at 150 MW,
	200 MW and 250 MW, respectively. What is the maximum load that
	can be securely connected to this system if the simultaneous outage of
	two generating units is not considered to be a credible event?
	(1) 150 MW
•	(2) 250 MW
	(3) 350 MW
	(4) 400 MW

Question	1
81.	A generating station has a maximum demand The reserve canadity
	demand of 18 MW, and a plant capacity of 50%. The reserve capacity of
	the plant is:
	(1) 5MW
,	(2) 6MW
	(3) 10 MW
	(4) 12 MW
82.	The sequence components of the fault current are as follows:
	$I_{positive} = j 1.5 p.u., I_{negative} = -j 0.5 p.u., I_{zero} = -j 1p.u.$
	The type of fault in the system is:
	(1) LG
	(2) LL
	(3) LLLG
	(4) LLG
83.	Which among the following quantities are to be determined in voltage-
	controlled buses?
	(1) Q and 8
	(2) Q and V
	(3) V and δ
	(4) P and Q
84.	If we increase the spacing between the phase conductors, the line
	(1) Increases
	(2) Decreases
	(3) Remains unaffected
	(4) None of the ontions

Question	Questions
85.	Impedance relay can be used for protection.
	(1) overcurrent
0.2.74	(2) differential
	(3) distance
	(4) overvoltage
.98	The Ferranti effect causes which of the following at the receiving end
	of a transmission line?
	(1) Voltage drop
	(2) Voltage rise
	(3) Power loss
	(4) Power factor improvement
87.	A 40 kVA transformer has a core loss of 400 W and a full-load copper
	loss of 800 W. The proportion of full load at maximum efficiency is:
	(1) 50%
	(2) 62.3%
	(3) 70.7%
	(4) 85%
88.	Horizontally mounted moving iron instruments use damping.
	(1) Air friction
	(2) Eddy current
	(3) Fluid friction
	(4) Electromagnetic damping

Question No.	Questions
89.	Sphere gaps are used for measurement of:
	(1) Instantaneous voltage
	(2) R.M.S. voltage
	(3) Peak voltage
	(4) Average voltage
90.	The effective resistance of an iron-cored choke working on ordinary
	supply frequency is more than its true resistance because of
	(1) iron loss in core
	(2) skin effect
`	(3) increase in temperature
	(4) capacitive effect between adjacent coil turns
91.	The input resistance of a cathode ray oscilloscope is of the order of:
	(1) Tens of ohms
Talling Com	(2) Mega ohms
	(3) Kilo ohms
	(4) Fraction of an ohm
92.	A three-phase diode bridge rectifier is fed from a 400 V RMS, 50 Hz,
,	three-phase AC source. If the load is purely resistive, then peak
A Second	instantaneous output voltage is equal to:
	(1) 400√2 V
	(2) 400 V
	(3) $400\sqrt{\frac{2}{3}}$ V
	(4) $\frac{400}{\sqrt{3}}$ V

Section .	Code-A
Question No.	Questions
93.	As In an ideal dc-dc buck converter, the ratio of peak-peak inductor
	current ripple to peak-peak output voltage ripple is 20. If switching
	frequency is 10 kHz, then the output capacitor value will be:
	(1) 250 μF
	(2) 350 μF
	(3) 500 μF
	(4) 1 mF
94.	In dc-dc buck converter, the PI controller helps in:
	(1) Reducing settling time
	(2) Increasing crossover frequency
5	(3) Eliminating steady-state error
	(4) None of the options
95.	The Conduction loss versus device current characteristic of a power
	MOSFET is best approximated by:
	(1) Parabola
	(2) Straight line
	(3) Rectangular Hyperbola
	(4) Exponentially decaying function
96.	SCR is considered to be a semi-controlled device because :
	(1) It can be turned OFF but not ON with a gate pulse
	(2) It conducts only during one half cycle of an alternating current wave
	(3) It can be turned ON but not OFF with a gate pulse
	(4) It can be turned ON only during one half cycle of an alternating
	voltage wave

	8		99.	98.		Question No. 97.
 Latching current at gate Holding current at gate Positive current at gate Negative current at gate 	(4) Future input [In a gate turn off thyristor, turning off is achieved by:	(1) Current input only (2) Past input only (3) Current input and past input		transformer if the protecting CT on the (2) 200:5/\sqrt{3} (4) 120:6/\sqrt{3}	ICS	The output volta

SET-"Y" (Total No. of printed pages : 25)

(DO NOT OPEN THIS QUESTION BOOKLET BEFORE TIME OR UNTIL YOU ARE ASKED TO DO SO)

PHD-EE, November-2025 **UIET (ELECTRICAL ENGINEERING)**

Sr. No. 10010



Time: 1¼ Hours	Total Quest	ions : 100	Max. Marks: 100
Roll No	(in figure)		(in words)
Name :		Date of Birth:	
Father's Name:		Mother's Name:	
Date of Examination :			
(Signature of the candid	late)	(Signat	ure of the Invigilator)

CANDIDATES MUST READ THE FOLLOWING INFORMATION INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER.

All questions are compulsory.

The candidates must return the Question book-let as well as OMF answer-sheet to the Invigilator concerned before leaving the Examination Hall failing which a case of use of unfair-means / mis-behaviour will be registered against him / her, in addition to lodging of an FIR with the police. Further the answer-sheet of such a candidate will not be evaluated.

Keeping in view the transparency of the examination system, carbonless OMR 3. Sheet is provided to the candidate so that a copy of OMR Sheet may be kept by

the candidate.

Question Booklet along-with answer key of all the A,B,C and D code shall be got uploaded on the University Website immediately after the conduct of Entrance Examination. Candidates may raise valid objection/complaint if any, with regard to discrepancy in the question booklet/answer key within 24 hours of uploading the same on the University website. The complaint be sent by the students to the Controller of Examinations by hand or through email. Thereafter, no complaint in any case will be considered.

The candidate MUST NOT do any rough work or writing in the OMR Answer-Sheet. Rough work, if any, may be done in the question book-let itself. Answers

MUST NOT be ticked in the Question book-let.

There will be negative marking and a deduction of 0.25 marks for each wrong answers. Cutting, erasing, overwriting and more than one answer in OMR Answer-Sheet will be treated as incorrect answer.

Use only Black or Blue BALL POINT PEN of good quality in the OMR Answer-7.

Sheet.

BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED CORRECT AND COMPLETE BOOK-LET. COMPLAINTS, IF ANY, REGARDING MISPRINTING ETC. WILL NOT BE ENTERTAINED 30 MINUTES AFTER STARTING OF THE EXAMINATION.

Question No.	Questions
1.	In force-voltage analogy, the analogy for the displacement is:
	(1) Current
	(2) Charge
	(3) Resistance
	(4) Flux linkage
2.	Consider the loop transfer function $\frac{K(s+2)(s+6)}{(s+1)(s+3)(s+5)}$, the centroid of the
	root locus will be located at:
	(1) 4
	(2) -1
	(3) -2
	(4) -3
3.	In an ideal op-amp, the voltage gain of the common-mode signal is
	(1) 0
	(2) 1
	(3) infinity
	(4) depends on the input
4.	When the damping ratio lies between 0 and l, the system is said
k indep	to be
	(1) Undamped
	(2) Underdamped
	(3) Critically Damped
	(4) Overdamped

Question No.	Questions				
1.	In force-voltage analogy, the analogy for the displacement is:				
	(1) Current				
	(2) Charge				
	(3) Resistance				
	(4) Flux linkage				
2.	Consider the loop transfer function $\frac{K(s+2)(s+6)}{(s+1)(s+3)(s+5)}$, the centroid of the				
	root locus will be located at:				
	(1) 4				
	(2) -1				
	(3) –2				
	(4) -3				
3.	In an ideal op-amp, the voltage gain of the common-mode signal is				
	(1) 0				
	(2) 1				
	(3) infinity				
	(4) depends on the input				
4.	When the damping ratio lies between 0 and l, the system is said				
2 VIII	to be				
	(1) Undamped				
	(2) Underdamped				
	(3) Critically Damped				
	(4) Overdamped				

Code-	
Questions	
The ratio of maximum demand on generating station to the instal	lec
capacity of plant gives :	
(1) Load factor	
(2) Operating factor	
(3) Utilization factor	
(4) Capacity factor	
Which of the following transmission lines can be classified as a sh	or
(1) length up to 600 km	
(2) length up to 500 km	
(3) length up to 200 km	
(4) length up to 80 km	
Which of the following reaches full-load operation the fastest w	ner
(1) Gas turbine plant	
(2) Nuclear power plant	
(3) Hydro power plant	
(4) Thermal power plant	
In a load flow problem solved by Newton-Raphson method with no	las
coordinates, the size of the Jacobian matrix is 100×100 lf there are	- 0/
PV buses in addition to PQ buses and a slack bus, the total much	920
buses in the system is :	r o
(2) 60	
(3) 61	
(4) 71	
	Questions The ratio of maximum demand on generating station to the instal capacity of plant gives: (1) Load factor (2) Operating factor (3) Utilization factor (4) Capacity factor Which of the following transmission lines can be classified as a sh transmission line? (1) length up to 600 km (2) length up to 500 km (3) length up to 200 km (4) length up to 80 km Which of the following reaches full-load operation the fastest wistarting from a cold state? (1) Gas turbine plant (2) Nuclear power plant (3) Hydro power plant (4) Thermal power plant In a load flow problem solved by Newton-Raphson method with pocoordinates, the size of the Jacobian matrix is 100×100. If there are PV buses in addition to PQ buses and a slack bus, the total number buses in the system is: (1) 59 (2) 60 (3) 61

Question No.	Questions
9.	In thermal power plants, the pressure in the working fluid cycle is developed by:
	(1) Feed water pump (2) Condenser
	(3) Super-heater (4) Turbine
10.	A power system is supplied by three generating units rated at 150 MW, 200 MW and 250 MW, respectively. What is the maximum load that can be securely connected to this system if the simultaneous outage of two generating units is not considered to be a credible event?
	(1) 150 MW (2) 250 MW (3) 350 MW (4) 400 MW
11.	The total charge entering a terminal between $t = 1$ sec and $t = 2$ sec in the current passing the terminal $i = (3t^2 - t)A$ is (1) $\frac{11}{2}c$
12.	nodes are there in a network having 12 branches and 8
	independent loops.
	(1) 17
3	(2) 12
	(3) 7
	(4) 5

Ownstlan	Code-
Question No.	Questions
13.	The current through a branch in a linear network is 2 A when the input source voltage is 10 V. If the voltage is reduced to 1 V and the polarity is reversed, what will be the current through the same branch? (1) -20 A
	(2) −2 A
	(3) -1 A
	(4) -0.2 A
	At the terminal to which the load is connected, the Thevening resistance and Thevenin's voltage are 10 Ω and 40 V, respectively. What is the maximum power that can be supplied to the load? 1) 160 w 2) 120 W 3) 80 W 4) 40 W
15. E	nergy stored in a 10 mH inductor when the current through it
(1	creases from zero to 2 A is
1) 10 J
(1) 10 J) 0.2 J

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-B
(4)

Question No.	Questions
16.	A series-connected load draws a current $i(t) = 4\cos(100\pi t + 10^{\circ})A$
	when the applied voltage is $v(t) = 120 \cos(100\pi - 20^{\circ})V$. The apparent
	power and the power factor of the circuit, respectively are:
	(1) 240 VA, 0.866 leading
	(2) 240 VA, 0.866 leading
	(3) 480 VA, 0.866 leading
Q/	(4) 480 VA, 0.866 leading
17.	A three-phase star-connected load takes 1.8 kW at a power factor of 0.5
	from a 230 V, 60 Hz supply. The resistance and inductance of each
	phase of the load, respectively are:
	(1) 7.35 Ω, 25.6 mH
	(2) 7.35 Ω, 33.8 mH
	(3) 7.35 Ω, 45.6 mH
	(4) 7.35 Ω, 52.2 mH
18.	Which three-phase connection can be used in a transformer to
	introduce a phase difference of 30° between its output and
	corresponding input line voltages?
	(1) Delta-zigzag
	(2) Star-star
	(3) Delta-delta

Question No.	Questions
19.	A rotating electrical machine having its self-inductances of both the
	stator and the rotor windings, independent of the rotor position will be
	definitely not developed:
	(1) Starting torque
	(2) Synchronizing torque
	(3) Hysteresis torque
	(4) Reluctance torque
20.	A synchronous generator is supplying a zero-power factor (lagging)
J = 1.24	load at rated current. What is the nature of the armature reaction?
	(1) Ineffective
	(2) Demagnetizing
	(3) Cross-magnetizing
	(4) Magnetizing
21.	An appropriate software for statistical data analysis and graphical
	representation is:
	(1) MS Paint
4 4	(2) SPSS or R
e 1000	(3) WordPad
	(4) VLC Media Player
22.	In quantitative research, ANOVA is used to:
	(1) Compare variances across multiple groups
	(2) Analyze qualitative responses
	(3) Compute median values
	(4) Summarize textual data

Question No.	Questions
23.	Which measure best describes data skewness?
	(1) Mean deviation
	(2) Standard error
	(3) Kurtosis
	(4) Skewness coefficient
24.	Data entry errors can be minimized by :
	(1) Repeated manual entry
	(2) Using data validation tools during coding
	(3) Avoiding software use
	(4) Ignoring outliers
25.	When writing a research paper, the "IMRAD" structure stands for:
	(1) Introduction, Methodology, Results and Discussion
	(2) Introduction, Model, Results and Data
	(3) Issue, Method, Report and Data
	(4) Inquiry, Measurement, Result, and Development
26.	In the binary system, the base value is:
	(1) 2
	(2) 8
	(3) 10
	(4) 16
27.	The hexadecimal number system uses digits up to:
	(1) 8
1	(2) 9
	(3) F (15 in decimal)
	(4) E (14 in decimal)

Orestian	Code-E
Question No.	Questions
28.	Converting binary 1010 to decimal gives:
	(1) 8
	(2) 9
	(3) 10
	(4) 12
29.	The process of referencing in research ensures:
	(1) Reduction of originality
	(2) Traceability of information sources
	(3) Elimination of peer review
	(4) Avoidance of data collection
30.	The final chapter of a thesis generally focuses on:
	(1) Data collection tools
	(2) Literature survey
	(3) Abstract writing
	(4) Results interpretation and future scope
31.	Which measure of central tendency is most affected by extreme values
	(1) Mean
	(2) Median
	(3) Mode
	(4) Range
32.	During thesis writing, a bibliography differs from a reference list
1	pecause :
(1) It includes only cited works
(2) It includes both cited and consulted works
(3) It excludes books
6	4) It contains only web sources
	and sources

Question	Questions Code-E
No.	
33.	A researcher adopts mixed methods combining survey data and interviews. This approach is used primarily to:
	(1) Minimize data redundancy
	(2) Avoid statistical computation
	(3) Replace quantitative analysis
	(4) Validate findings through triangulation
34.	The scope of research in interdisciplinary studies means:
	(1) Restricting inquiry to a single discipline
	(2) Incorporating theories and methods from multiple fields
	(3) Using only qualitative data
	(4) Avoiding literature review
35.	In the research process, the formulation of hypotheses occurs:
	(1) Before literature review
	(2) After data collection
	(3) After reviewing existing theories and gaps
	(4) After statistical testing
36.	In a well-structured research report, the abstract should:
12.50	(1) Discuss all details of the results
	(2) Provide a concise summary of objectives, methods, and findings
	(3) Contain only keywords
	(4) Focus on references used

Question	Questions	Code-
No.		
37.	An empirical study primarily depends on:	65 A R
	(1) Logical reasoning alone	
	(2) Direct observation or experimentation	
	(3) Secondary sources	
	(4) Archival data only	
38.	A good research problem must be:	
	(1) Broad and undefined	
	(2) Based purely on intuition	
	(3) Feasible, researchable, and significant	
	(4) Free from literature support	
39.	Which of the following best ensures research reliability?	
	(1) Clear hypotheses	
	(2) Inclusion of multiple variables	
	(3) Consistency in measurement procedures	
	(4) Novel topic selection	
40.	The concept of informed consent ensures that participants	3 .
	(1) Are randomly selected	
	(2) Receive financial incentives	
	(3) Understand the study and agree voluntarily	
	(4) Are anonymous	
41.	The input resistance of a cathode ray oscilloscope is of the	order of:
. 237	(1) Tens of ohms	J. 402 02 1
Mark.	(2) Mega ohms	
	(3) Kilo ohms	
	(4) Fraction of an ohm	

Question No.	Questions
42.	A three-phase diode bridge rectifier is fed from a 400 V RMS, 50 Hz,
	three-phase AC source. If the load is purely resistive, then peak
	instantaneous output voltage is equal to:
	(1) 400√2 V
	(2) 400 V
H	(3) $400\sqrt{\frac{2}{3}}$ V
200	(4) $\frac{400}{\sqrt{3}}$ V
43.	As In an ideal dc-dc buck converter, the ratio of peak-peak inductor
	current ripple to peak-peak output voltage ripple is 20. If switching
	frequency is 10 kHz, then the output capacitor value will be:
	(1) 250 μF
	(2) 350 μF
	(3) 500 μF
	(4) 1 mF
44.	In dc-dc buck converter, the PI controller helps in :
	(1) Reducing settling time
	(2) Increasing crossover frequency
	(3) Eliminating steady-state error
	(4) None of the options
45.	The Conduction loss versus device current characteristic of a power
	MOSFET is best approximated by:
	(1) Parabola
	(2) Straight line
	(3) Rectangular Hyperbola
	(4) Exponentially decaying function

Question No.	Questions
46.	SCR is considered to be a semi-controlled device because:
	(1) It can be turned OFF but not ON with a gate pulse
	(2) It conducts only during one half cycle of an alternating current wave
	(3) It can be turned ON but not OFF with a gate pulse
	(4) It can be turned ON only during one half cycle of an alternating
	voltage wave
47.	The output voltage waveform of a three-phase square wave inverter
and but	contains harmonics:
	(1) only triple
	(2) even & odd
	(3) only even
	(4) only odd
48.	What will be the ratio of the C.T. on the H.V side of a 3-phase star/delta, 33/11 kV transformer if the protecting CT on the LV side has a ratio of 300:5?
	(1) $100:5/\sqrt{3}$ (2) $200:5/\sqrt{3}$
	(3) $150:4/\sqrt{3}$ (4) $120:6/\sqrt{3}$
49.	A system is called a non-anticipatory system if its current output depends on: (1) Current input only (2) Past input only (3) Current input and past input (4) Future input

Question No.	Questions
50.	In a gate turn off thyristor, turning off is achieved by :
	(1) Latching current at gate
	(2) Holding current at gate
	(3) Positive current at gate
	(4) Negative current at gate
51.	The DC motor, which can provide zero speed regulation at full load
	without any controller, is
	(1) Differential compound
	(2) Cumulative compound
	(3) Shunt
	(4) Series
5 2.	A 2 pole, 50 Hz, 11 kV, 100 MW alternator has an inertia constant is
	4s. The approximate value of moment of inertia in (kg.m²) is?
	(1) 8070
	(2) 8090
	(3) 8110
	(4) 8130
53.	If the base kVA is 25,000, then a 5000 kVA alternator with 8%
2 /2 /2 /2	reactance will have (per-unit or percentage reactance on the
mar.	new base).
	(1) 20% reactance
	(2) 30% reactance
	(4) 50% reactance

No.	
54.	When a synchronous motor is running at synchronous speed,
	damper winding produces:
	(1) Damping torque
	(2) Eddy current torque
	(3) Torques aiding the developed to torque
	(4) No torque
55.	If the iron core of a transformer is replaced by an air core, then the
	(1) increase
e .	(2) decrease
	(3) remain unchanged
	(4) become zero
56.	Convolution of $x(t + 5)$ with impulse function $\delta(t - 7)$ is equal to
_	
_	(2) $x(t-2)$
3	(3) $x(t+12)$
3	(4) $x(t-12)$
57. In	In the state-equation of a discrete-time system (seeming
9	equilibrium point is one for which
<u>E</u>	x(k) = 0 x(k) = 0
(8)	x(k+1)=0
(3)	Both (1) and (2)
(4)	V(r ± 1) = 0.

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-B (14)

PHD.

Question	Questions
58.	A linear system is described by the state-space model $x(t) = -x(t) + 2u(t)$,
	$y(t) = 0.5x(t) + u(t)$. The transfer function $\frac{y(s)}{u(s)}$ of the system is
	(1) $(s+2)/(s+1)$
	(2) $1/(s+1)$
	(3) $(s+1)/(s+2)$
	(4) $1/(s+2)$
59.	Consider a continuous-time system with input, x(t) and output, y(t)
	given by $y(t) = x(t) \cos(t)$. This system is:
	(1) Linear, time-variant
	(2) Linear, time-invariant
	(3) Nonlinear, time-invariant
	(4) Nonlinear, time-variant
.09	Poles of second-order models with the same damping ration will lie:
NA.	(1) On the real axis
	(2) On imaginary axis
1	(3) On a radial line from origin
	(4) None of these options
61.	A generating station has a maximum demand of 30 MW, average
	demand of 18 MW, and a plant capacity of 50%. The reserve capacity of
	the plant is:
	(1) 5 MW
	(2) 6 MW
	(3) 10 MW
	(4) 12 MW

65.		64.			63.			62.
Impedance relay can be used for protection. (1) overcurrent (2) differential (3) distance (4) overvoltage	 (1) Increases (2) Decreases (3) Remains unaffected (4) None of the options 	Dac We	(3) V and δ (4) P and Q	controlled buses? (1) Q and δ (2) Q and V	Which among the following quantities are to be determined in voltage-	(2) LL (3) LLLG (4) LLG	ne t	The sequence components of t

Question	Code-B
No	Questions
66.	The Ferranti effect causes which of the following at the
	of a transmission line?
	(1) Voltage drop
,	(2) Voltage rise
	(3) Power loss
	(4) Power factor improvement
67.	re loss of 400 W and a full local
	ortion of full load at maximum a
	(1) 50%
	(2) 62.3%
	(3) 70.7%
	(4) 85%
68.	Horizontally mounted moving iron instruments use damping
	(2) Eddy current
	(3) Fluid friction
	(4) Electromagnetic damping
69.	Sphere gaps are used for measurement of:
	(1) Instantaneous voltage
	(2) R.M.S. voltage
	(3) Peak voltage
	(4) Average voltage

Question	
No	Successions
70.	The effective resistance of an iron-cored choke working on ordinary
	supply frequency is more than its true resistance because of
	(1) iron loss in core
	(2) skin effect
	(3) increase in temperature
	(4) capacitive effect between adjacent coil turns
71.	A conceptual framework in research is developed to:
	(1) Show the visual or theoretical relationship among variable
	(2) Replace data analysis
	(3) Reduce hypothesis complexity
	(4) Avoid graphical representation
72.	The best way to ensure objectivity in research
	(1) Use personal opinions
	(2) Include emotional interpretation
	(3) Rely on verifiable data and establish
	(4) Avoid referencing past studies
73.	Which type of sampling provides equal 1
	selected?
	(1) Purposive sampling
	(2) Random sampling
	(3) Snowball sampling
	(4) Quota some 1:

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-B (18)

Question	_
74.	A pilot study is useful for:
	(1) Testing tools and refining methodology before main research
	(2) Collecting full-scale data
	(3) Final report submission
	(4) Publishing findings
75.	The credibility of qualitative data can be enhanced through:
	(1) Prolonged engagement and triangulation
	(2) Statistical modeling
	(3) Limiting participant interaction
	(4) Reducing sample size
76.	The process of converting raw data into meaningful interpretation
	called:
	(1) Data coding and analysis
	(2) Data transcription only
	(3) Data entry
	(4) Report binding
.77	When publishing in reputed journals, peer review serves to:
	(1) Delay publication
	(2) Validate research quality and originality
	(3) Eliminate author rights
	(4) Ensure open access only

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-B (19)

Question No.	
78.	The main advantage of using computers in data analysis is :
	(1) Human bias elimination and computational accuracy
	(2) Inability to handle large data
	(3) Costly manual effort
	(4) Reduced data visualization
79.	In referencing style, "et al." denotes:
	(1) The title of the article
	(2) The editor's name
	(3) A journal abbreviation
	(4) Additional co-authors beyond the first
80.	While writing a book or article, footnotes are primarily used to:
	(1) Add unrelated commentary
	(2) Provide source details or additional explanation
	(3) Replace bibliography
1	(4) Expand the word count
81.	In observational research, the Hawthorne effect refers to:
	(1) Respondents falsifying data intentionally
	(2) Participants altering behavior when observed
	(3) Interviewer's bias in recording responses
1	(4) Data loss during analysis
82.	Secondary data is advantageous mainly because it :
	1) Is always more accurate
	2) Eliminates bias entirely
(3) Requires no ethical approval
	4) Saves time and cost for an analysis
	4) Saves time and cost for preliminary insights

2	Questions
Question No.	
83.	The most critical feature of a good hypothesis is:
	(1) Non-testability
	(2) Vagueness
	(3) Testability and falsifiability
	(4) Lack of prediction
84.	While writing a research paper, paraphrasing must always be
	accompanied by:
	(1) New data
	(2) Source citation
	(3) Footnotes only
	(4) Statistical validation
85.	The literature review primarily helps a researcher to:
	(1) Skip the background section
	(2) Prove the hypothesis before data collection
	(3) Identify gaps and justify the new study
	(4) Avoid referencing
86.	The scope of research in engineering disciplines often emphasizes:
	(1) Application of fundamental principles to solve technical problems
	(2) Historical review of theories only
	(3) Social observation
F public	(4) Political implications
87.	A sampling frame is defined as:
	(1) The total population of the world
	(2) A complete list of units from which a sample is drawn
	(3) The process of selecting random variables
	(4) An algorithm for data analysis

92.
In academic research, plagiarism primarily violates which principle? (1) Beneficence (2) Integrity and intellectual honesty (3) Non-maleficence (4) Confidentiality

	Code-b
Question	Questions
93.	A researcher studies the impact of social media on students' academic
	performance by conducting interviews and thematic coding. This
	represents which research approach?
	(1) Quantitative descriptive
	(2) Experimental
	(3) Meta-analytic
	(4) Qualitative phenomenological
94.	What is the key characteristic of the scientific method in research?
	(1) Dependence on intuition
	(2) Anecdotal evidence
	(3) Logical reasoning and empirical validation
	(4) Pure theoretical speculation
95.	The most appropriate first step in selecting a research topic is to:
	(1) Search for research funding
	(2) Identify a gap through literature review
	(3) Collect preliminary data
	1
96.	A researcher publishes identical results in two journals without
	disclosure. This is an example of:
	(1) Redundant publication
	(2) Paraphrasing
	(3) Selective reporting
	(4) Fabrication

Question No.	u	Questions
97.	The	purpose of a research design is to:
	(3)	Arrange the references alphabetically
	(2)	Outline the logical structure for data collection and analysis
	(3)	Provide raw data summaries
	(4)	Ensure the report format is consistent
98.	In qu	In questionnaire design, "double-barreled questions" should be avoided
	because:	ise:
	(1)	They involve two issues in a single item and confuse respondents
	(3)	They are too short to provide adequate data
	(3)	They ensure high response rates
	(4)	They maintain objectivity
.66	Whic	Which of the following is not a primary data collection method?
	<u>E</u>	Observation
	(2)	Questionnaire
	(3)	Literature review
	(4)	Interview
100.	An in	An in-depth interview technique is most appropriate when
	(1)	A large sample needs to be surveyed quickly
	(2)	The study focuses on participants' percentions and
	(3)	Respondents prefer anonymity
	(4)	Quantitative comparison is required

SET-"Y" (Total No. of printed pages: 25)

(DO NOT OPEN THIS QUESTION BOOKLET BEFORE TIME OR UNTIL YOU ARE ASKED TO DO SO)

PHD-EE, November-2025 UIET (ELECTRICAL ENGINEERING)

sr. NJ. 0007

Code C

Time : 1¼ Hours Roll No.	Total Quest	ions : 100	Max. Marks: 100
Name:		Date of Birth:	
Father's Name :		Mother's Name:	
Date of Examination:			
(Signature of the candid	late)	(Signatu	re of the Invigilator

CANDIDATES MUST READ THE FOLLOWING INFORMATION INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER.

All questions are compulsory.

2. The candidates must return the Question book-let as well as OM/s answer-sheet to the Invigilator concerned before leaving the Examination Halfailing which a case of use of unfair-means / mis-behaviour will be register against him / her, in addition to lodging of an FIR with the police. Further than swer-sheet of such a candidate will not be evaluated.

Reeping in view the transparency of the examination system, carbonless OM Sheet is provided to the candidate so that a copy of OMR Sheet may be kept by

the candidate.

4. Question Booklet along-with answer key of all the A,B,C and D code shall be got uploaded on the University Website immediately after the conduct of Entrance Examination. Candidates may raise valid objection/complaint if any, with regard to discrepancy in the question booklet/answer key within 24 hours of uploading the same on the University website. The complaint be sent by the students to the Controller of Examinations by hand or through email. Thereafter, no complaint in any case will be considered.

5. The candidate MUST NOT do any rough work or writing in the OMR Answer-Sheet. Rough work, if any, may be done in the question book-let itself. Answers

MUST NOT be ticked in the Question book-let.

6. There will be negative marking and a deduction of 0.25 marks for each wrong answers. Cutting, erasing, overwriting and more than one answer in OMR Answer-Sheet will be treated as incorrect answer.

7. Use only Black or Blue BALL POINT PEN of good quality in the OMR Answer-

Sheet.

8. BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED CORRECT AND COMPLETE BOOK-LET. COMPLAINTS, IF ANY, REGARDING MISPRINTING ETC. WILL NOT BE ENTERTAINED 30 MINUTES AFTER STARTING OF THE EXAMINATION.

Question No.	Questions
1001.	A conceptual framework in research is developed to:
	(1) Show the visual or theoretical relationship among variables
	(2) Replace data analysis
	(3) Reduce hypothesis complexity
	(4) Avoid graphical representation
2.	The best way to ensure objectivity in research reporting is to:
	(1) Use personal opinions
	(2) Include emotional interpretation
740	(3) Rely on verifiable data and established methodology
	(4) Avoid referencing past studies
3.	Which type of sampling provides equal chance for every element to be
	selected?
	(1) Purposive sampling
	(2) Random sampling
	(3) Snowball sampling
	(4) Quota sampling
4.	A pilot study is useful for:
	(1) Testing tools and refining methodology before main research
	(2) Collecting full-scale data
	(3) Final report submission
	(4) Publishing findings
5.	The credibility of qualitative data can be enhanced through:
	(1) Prolonged engagement and triangulation
	(2) Statistical modeling
	(3) Limiting participant interaction
	(4) Reducing sample size

Question No.	Questions
6.	The process of converting raw data into meaningful interpretation is called:
	(1) Data coding and analysis
	(2) Data transcription only
	(3) Data entry
27	(4) Report binding
7.	When publishing in reputed journals, peer review serves to:
	(1) Delay publication
	(2) Validate research quality and originality
	(3) Eliminate author rights
	(4) Ensure open access only
8.	The main advantage of using computers in data analysis is:
	(1) Human bias elimination and computational accuracy
	(2) Inability to handle large data
	(3) Costly manual effort
	(4) Reduced data visualization
9.	In referencing style, "et al." denotes:
1.5	(1) The title of the article
	(2) The editor's name
	(3) A journal abbreviation
	(4) Additional co-authors beyond the first
10.	While writing a book or article, footnotes are primarily used to:
	(1) Add unrelated commentary
	(2) Provide source details or additional explanation
	(3) Replace bibliography
	(4) Expand the word count

Question No.	Questions
11.	In observational research, the Hawthorne effect refers to:
o de la	(1) Respondents falsifying data intentionally
	(2) Participants altering behavior when observed
	(3) Interviewer's bias in recording responses
	(4) Data loss during analysis
12.	Secondary data is advantageous mainly because it:
	(1) Is always more accurate
	(2) Eliminates bias entirely
	(3) Requires no ethical approval
	(4) Saves time and cost for preliminary insights
13.	The most critical feature of a good hypothesis is:
	(1) Non-testability
	(2) Vagueness
	(3) Testability and falsifiability
	(4) Lack of prediction
14.	While writing a research paper, paraphrasing must always be
	accompanied by:
	(1) New data
	(2) Source citation
	(3) Footnotes only
	(4) Statistical validation
15.	The literature review primarily helps a researcher to:
	(1) Skip the background section
	(2) Prove the hypothesis before data collection
	(3) Identify gaps and justify the new study
	(4) Avoid referencing

Question No.	Questions
16.	The scope of research in engineering disciplines often emphasizes: (1) Application of fundamental principles to solve technical problems (2) Historical review of theories only (3) Social observation (4) Political implications
17.	A sampling frame is defined as: (1) The total population of the world (2) A complete list of units from which a sample is drawn (3) The process of selecting random variables (4) An algorithm for data analysis
18.	Which of the following ensures validity of a research tool? (1) Using complex questions (2) Simple statistical computation (3) High response rate (4) The tool measures exactly what it is intended to measure
19.	In research ethics, fabrication refers to: (1) Copying data from others (2) Using another's ideas with citation (3) Making up data or results (4) Modifying tables
20.	A well-designed questionnaire should include: (1) Leading questions to guide responses (2) Jargon and technical bias (3) Repetitive statements (4) Logical sequence and clear wording

Question No.	Questions
21.	Fundamental research is primarily aimed at:
	(1) Developing new technology for immediate application
	(2) Exploring theoretical foundations without direct commercial intent
	(3) Solving specific industrial problems
	(4) Conducting market feasibility studies
22.	In academic research, plagiarism primarily violates which ethical
	principle?
	(1) Beneficence
	(2) Integrity and intellectual honesty
13.	(3) Non-maleficence
t	(4) Confidentiality
23.	A researcher studies the impact of social media on students' academic
14.	performance by conducting interviews and thematic coding. This
	represents which research approach?
	(1) Quantitative descriptive
	(2) Experimental
	(3) Meta-analytic
	(4) Qualitative phenomenological
24.	What is the key characteristic of the scientific method in research?
	(1) Dependence on intuition
	(2) Anecdotal evidence
	(3) Logical reasoning and empirical validation
	(4) Pure theoretical speculation

Question No.	Questions
25.	The most appropriate first step in selecting a research topic is to:
	(1) Search for research funding
	(2) Identify a gap through literature review
	(3) Collect preliminary data
	(4) Decide on the methodology
26.	A researcher publishes identical results in two journals without
	disclosure. This is an example of:
	(1) Redundant publication
	(2) Paraphrasing
	(3) Selective reporting
	(4) Fabrication
27.	The purpose of a research design is to:
	(1) Arrange the references alphabetically
Mayot e	(2) Outline the logical structure for data collection and analysis
jiAT s	(3) Provide raw data summaries
	(4) Ensure the report format is consistent
28.	In questionnaire design, "double-barreled questions" should be avoided
	because:
	(1) They involve two issues in a single item and confuse respondents
	(2) They are too short to provide adequate data
	(3) They ensure high response rates
- ()	(4) They maintain objectivity
29.	Which of the following is not a primary data collection method?
	(1) Observation
	(2) Questionnaire
	(3) Literature review
	(4) Interview

Question No.	Questions
30.	An in-depth interview technique is most appropriate when:
	(1) A large sample needs to be surveyed quickly
	(2) The study focuses on participants' perceptions and experiences
	(3) Respondents prefer anonymity
	(4) Quantitative comparison is required
31.	The input resistance of a cathode ray oscilloscope is of the order of:
	(1) Tens of ohms
· ·	(2) Mega ohms
	(3) Kilo ohms
	(4) Fraction of an ohm
32.	A three-phase diode bridge rectifier is fed from a 400 V RMS, 50 Hz,
	three-phase AC source. If the load is purely resistive, then peak
15	instantaneous output voltage is equal to:
	(1) 400√2 V
	(2) 400 V
	(3) $400\sqrt{\frac{2}{3}}$ V
	(4) $\frac{400}{\sqrt{3}}$ V
33.	As In an ideal dc-dc buck converter, the ratio of peak-peak inductor
	current ripple to peak-peak output voltage ripple is 20. If switching
	frequency is 10 kHz, then the output capacitor value will be:
	(1) 250 μF
	(2) 350 μF
	(3) 500 μF
	(4) 1 mF

Question	Code-C
No	Questions
34.	In dc-dc buck converter, the PI controller helps in:
	(1) Reducing settling time
4000	(2) Increasing crossover frequency
	(3) Eliminating steady-state error
	(4) None of the options
35.	The Conduction loss versus device current characteristic of a power
	MOSFET is best approximated by:
	(1) Parabola
	(2) Straight line
tila.	(3) Rectangular Hyperbola
	(4) Exponentially decaying function
36.	SCR is considered to be a semi-controlled device because:
	(1) It can be turned OFF but not ON with a gate pulse
	(2) It conducts only during one half cycle of an alternating current wave
	(3) It can be turned ON but not OFF with a gate pulse
	(4) It can be turned ON only during one half cycle of an alternating
	voltage wave
37.	The output voltage waveform of a three-phase square wave inverter
	contains harmonics:
	(1) only triple
	(2) even & odd
	(3) only even
	(4) only odd

Question No.	Questions Questions
38.	What will be the ratio of the C.T. on the H.V side of a 3-phase star/delta, 33/11 kV transformer if the protecting CT on the LV side
	has a ratio of 300:5?
	(1) $100:5/\sqrt{3}$ (2) $200:5/\sqrt{3}$
	(3) $150:4/\sqrt{3}$ (4) $120:6/\sqrt{3}$
39.	A system is called a non-anticipatory system if its current output
dille in	depends on:
	(1) Current input only
	(2) Past input only
	(3) Current input and past input
	(4) Future input
40.	In a gate turn off thyristor, turning off is achieved by:
7	(1) Latching current at gate
	(2) Holding current at gate
	(3) Positive current at gate
	(4) Negative current at gate
41.	The DC motor, which can provide zero speed regulation at full load
al acti	without any controller, is
•	(1) Differential compound
	(2) Cumulative compound
	(3) Shunt
	(4) Series

Question No.	Questions
42.	A 2 pole, 50 Hz, 11 kV, 100 MW alternator has an inertia constant is
	4s. The approximate value of moment of inertia in (kg.m²) is?
	(1) 8070
	(2) 8090
	(3) 8110
	(4) 8130
43.	If the base kVA is 25,000, then a 5000 kVA alternator with 8%
	reactance will have (per-unit or percentage reactance on the
	new base).
	(1) 20% reactance
	(2) 30% reactance
1	(3) 40% reactance
	(4) 50% reactance
44.	When a synchronous motor is running at synchronous speed, the
	damper winding produces:
	(1) Damping torque
	(2) Eddy current torque
	(3) Torques aiding the developed to torque
	(4) No torque
45.	If the iron core of a transformer is replaced by an air core, then the
	hysteresis losses in the transformer will:
	(1) increase
	(2) decrease
	(3) remain unchanged
	(4) become zero

Question No.	Questions
46.	Convolution of $x(t + 5)$ with impulse function $\delta(t - 7)$ is equal to:
	(1) x(t + 2)
	(2) x(t-2)
	(3) $x(t + 12)$
	(4) x(t-12)
47.	In the state-equation of a discrete-time system (assume zero input), an
	equilibrium point is one for which, where x(k) is the state vector.
	(1) x(k) = 0
	(2) x(k+1) = 0
	(3) Both (1) and (2)
	(4) $x(k+1) = x(k)$
48.	A linear system is described by the state-space model $x(t) = -x(t) + 2u(t)$, $y(t) = 0.5x(t) + u(t)$. The transfer function $\frac{y(s)}{u(s)}$ of the system is
	(1) $(s+2)/(s+1)$
	(2) $1/(s+1)$
	(3) $(s+1)/(s+2)$
	(4) 1/(s+2)
49.	Consider a continuous-time system with input, x(t) and output, y(t
	given by $y(t) = x(t) \cos(t)$. This system is:
	(1) Linear, time-variant
	(2) Linear, time-invariant
	[18] 이 그리지는 전에 있다. 한국, 과고, 과고, 가는 사람들이 살아 있다. 그리고 아니는
	(3) Nonlinear, time-invariant

Question No.	Questions
50.	Poles of second-order models with the same damping ration will lie:
	(1) On the real axis
	(2) On imaginary axis
	(3) On a radial line from origin
	(4) None of these options
51.	An appropriate software for statistical data analysis and graphic
•	representation is:
	(1) MS Paint
	(2) SPSS or R
	(3) WordPad
	(4) VLC Media Player
52.	In quantitative research, ANOVA is used to:
	(1) Compare variances across multiple groups
	(2) Analyze qualitative responses
	(3) Compute median values
and the same of th	(4) Summarize textual data
53.	Which measure best describes data skewness?
	(1) Mean deviation
	(2) Standard error
	(3) Kurtosis
	(4) Skewness coefficient
54.	Data entry errors can be minimized by:
	(1) Repeated manual entry
	(2) Using data validation tools during coding
	(3) Avoiding software use
	(4) Ignoring outliers

Question No.	Questions
55.	When writing a research paper, the "IMRAD" structure stands for :
	(1) Introduction, Methodology, Results and Discussion
	(2) Introduction, Model, Results and Data
	(3) Issue, Method, Report and Data
	(4) Inquiry, Measurement, Result, and Development
56.	In the binary system, the base value is:
	(1) 2 Contract of the state of
	(2) 8
	(3) 10
	(4) 16
57.	The hexadecimal number system uses digits up to:
positive and the second second	(1) 8
1	(2) 9
	(3) F (15 in decimal)
	(4) E (14 in decimal)
58.	Converting binary 1010 to decimal gives:
	(1) 8
	(2) 9
	(3) 10
	(4) 12
59.	The process of referencing in research ensures:
	(1) Reduction of originality
	(2) Traceability of information sources
	(3) Elimination of peer review
	(4) Avoidance of data collection

Question No.	Questions
60.	The final chapter of a thesis generally focuses on:
	(1) Data collection tools
	(2) Literature survey
	(3) Abstract writing
	(4) Results interpretation and future scope
61.	In force-voltage analogy, the analogy for the displacement is:
	(1) Current
	(2) Charge
	(3) Resistance
	(4) Flux linkage
62.	Consider the loop transfer function $\frac{K(s+2)(s+6)}{(s+1)(s+3)(s+5)}$, the centroid of the
	root locus will be located at:
	(1) 4
	(2) -1
	(3) -2
	(4) -3
63.	In an ideal op-amp, the voltage gain of the common-mode signal is
	(1) 0
	(2) 1
	(3) infinity
	(4) depends on the input

Question No.	Questions ,
64.	When the damping ratio lies between 0 and 1, the system is said to be
in, trailin	(1) Undamped
	(2) Underdamped
	(3) Critically Damped
	(4) Overdamped
65.	The ratio of maximum demand on generating station to the installed
	capacity of plant gives:
	(1) Load factor
	(2) Operating factor
01.	(3) Utilization factor
	(4) Capacity factor
66.	Which of the following transmission lines can be classified as a short
	transmission line?
	(1) length up to 600 km
	(2) length up to 500 km
	(3) length up to 200 km
	(4) length up to 80 km
67.	Which of the following reaches full-load operation the fastest when
	starting from a cold state?
	(1) Gas turbine plant
	(2) Nuclear power plant
	(3) Hydro power plant
	(4) Thermal power plant

Question	Questions
No. 68.	In a load flow problem solved by Newton-Raphson method with polar coordinates, the size of the Jacobian matrix is 100×100. If there are 20 PV buses in addition to PQ buses and a slack bus, the total number of
	buses in the system is:
	(1) 59
	(2) 60(3) 61(4) 71
69.	In thermal power plants, the pressure in the working fluid cycle is
	developed by:
	(1) Feed water pump
Tods A	(2) Condenser (3) Super-heater (4) Turbine
70.	A power system is supplied by three generating units rated at 150 MW,
	200 MW and 250 MW, respectively. What is the maximum load that
	can be securely connected to this system if the simultaneous outage of
	two generating units is not considered to be a credible event?
	(1) 150 MW
	(2) 250 MW
	(3) 350 MW
	(4) 400 MW

Question No.	Questions
71.	A generating station has a maximum demand of 30 MW, average
	demand of 18 MW, and a plant capacity of 50%. The reserve capacity of
	the plant is:
	(1) 5MW
	(2) 6MW
	(3) 10 MW
	(4) 12 MW
72.	The sequence components of the fault current are as follows:
	$I_{positive} = j 1.5 p.u., I_{negative} = -j 0.5 p.u., I_{zero} = -j1p.u.$
	The type of fault in the system is:
	(1) LG
	(2) LL
	(3) LLLG
BOOKERS	(4) LLG
73.	Which among the following quantities are to be determined in voltage-
	controlled buses?
	(1) Q and δ
	(2) Q and V
	(3) $ V $ and δ
	(4) P and Q
74.	If we increase the spacing between the phase conductors, the line
	capacitance:
	(1) Increases
	(2) Decreases
	(3) Remains unaffected
	(4) None of the options

Question No.	Questions
75.	Impedance relay can be used for protection.
	(1) overcurrent
	(2) differential
	(3) distance
	(4) overvoltage
76.	The Ferranti effect causes which of the following at the receiving end
	of a transmission line?
	(1) Voltage drop
	(2) Voltage rise
	(3) Power loss
	(4) Power factor improvement
77.	A 40 kVA transformer has a core loss of 400 W and a full-load copper
	loss of 800 W. The proportion of full load at maximum efficiency is:
	(1) 50%
	(2) 62.3%
	(3) 70.7%
	(4) 85%
78.	Horizontally mounted moving iron instruments use damning
	(1) Air friction
	(2) Eddy current
	(3) Fluid friction
	(4) Electromagnetic damping

Question No.	Questions
79.	Sphere gaps are used for measurement of:
	(1) Instantaneous voltage
	(2) R.M.S. voltage
	(3) Peak voltage
	(4) Average voltage
80.	The effective resistance of an iron-cored choke working on ordinary
	supply frequency is more than its true resistance because of
	(1) iron loss in core
	(2) skin effect
	(3) increase in temperature
	(4) capacitive effect between adjacent coil turns
81.	Which measure of central tendency is most affected by extreme values?
	(1) Mean
	(2) Median
	(3) Mode
	(4) Range
82.	During thesis writing, a bibliography differs from a reference lis
	because:
	(1) It includes only cited works
1. 1. 1.	(2) It includes both cited and consulted works
	(3) It excludes books
	(4) It contains only web sources

Question No.	Questions
83.	A researcher adopts mixed methods combining survey data and interviews. This approach is used primarily to: (1) Minimize data redundancy (2) Avoid statistical computation (3) Replace quantitative analysis (4) Validate findings through triangulation
84.	The scope of research in interdisciplinary studies means: (1) Restricting inquiry to a single discipline (2) Incorporating theories and methods from multiple fields (3) Using only qualitative data (4) Avoiding literature review
85.	In the research process, the formulation of hypotheses occurs: (1) Before literature review (2) After data collection (3) After reviewing existing theories and gaps (4) After statistical testing
86.	In a well-structured research report, the abstract should: (1) Discuss all details of the results (2) Provide a concise summary of objectives, methods, and findings (3) Contain only keywords (4) Focus on references used

Question No.	Questions
87.	An empirical study primarily depends on :
	(1) Logical reasoning alone
	(2) Direct observation or experimentation
	(3) Secondary sources
	(4) Archival data only
88.	A good research problem must be:
4.	(1) Broad and undefined
ha in	(2) Based purely on intuition
77 h	(3) Feasible, researchable, and significant
	(4) Free from literature support
89.	Which of the following best ensures research reliability?
	(1) Clear hypotheses
E.	(2) Inclusion of multiple variables
	(3) Consistency in measurement procedures
	(4) Novel topic selection
90.	The concept of informed consent ensures that participants:
	(1) Are randomly selected
	(2) Receive financial incentives
	(3) Understand the study and agree voluntarily
	(4) Are anonymous
91.	The total charge entering a terminal between $t = 1 \sec$ and $t = 2 \sec$ it
	the current passing the terminal $i = (3t^2 - t)A$ is
	$(1) \frac{11}{2}c \qquad (2) \frac{13}{2}c$
	(3) $\frac{7}{2}c$ (4) $\frac{9}{2}c$

Overtien	Coue-
Question No.	Questions
92.	nodes are there in a network having 12 branches and
	independent loops.
	(1) 17
	(2) 12
	(3) 7
	(4) 5
93.	The current through a branch in a linear network is 2 A when the
	input source voltage is 10 V. If the voltage is reduced to 1 V and the
	polarity is reversed, what will be the current through the same
	branch?
	(1) -20 A
	(2) -2 A
The state of the s	(3) -1 A
	(4) -0.2 A
94.	At the terminal to which the load is connected, the Thevenin's
	resistance and Thevenin's voltage are 10 Ω and 40 V, respectively.
	What is the maximum power that can be supplied to the load?
118	(1) 160 w
	(2) 120 W
	(3) 80 W
	(4) 40 W

Question No.	Questions
95.	Energy stored in a 10 mH inductor when the current through it increases from zero to 2 A is (1) 10 J (2) 0.2 J (3) 0.04 J
1 - 1 - 1 - 1 - 1	(4) 0.02 J
96.	A series-connected load draws a current $i(t) = 4\cos(100\pi t + 10^\circ)A$ when the applied voltage is $v(t) = 120\cos(100\pi - 20^\circ)V$. The apparent power and the power factor of the circuit, respectively are: (1) 240 VA, 0.866 leading (2) 240 VA, 0.866 leading (3) 480 VA, 0.866 leading (4) 480 VA, 0.866 leading
97.	A three-phase star-connected load takes 1.8 kW at a power factor of 0.5 from a 230 V, 60 Hz supply. The resistance and inductance of each phase of the load, respectively are: (1) 7.35 Ω, 25.6 mH (2) 7.35 Ω, 33.8 mH (3) 7.35 Ω, 45.6 mH (4) 7.35 Ω, 52.2 mH

Question No.	Questions Questions
98.	Which three-phase connection can be used in a transformer to introduce a phase difference of 30° between its output and corresponding input line voltages? (1) Delta-zigzag (2) Star-star (3) Delta-delta (4) Star-delta
99.	A rotating electrical machine having its self-inductances of both the stator and the rotor windings, independent of the rotor position will be definitely not developed: (1) Starting torque (2) Synchronizing torque (3) Hysteresis torque (4) Reluctance torque
100.	A synchronous generator is supplying a zero-power factor (lagging) load at rated current. What is the nature of the armature reaction? (1) Ineffective (2) Demagnetizing (3) Cross-magnetizing (4) Magnetizing

SET-"Y" (Total No. of printed pages : 25)

(DO NOT OPEN THIS QUESTION BOOKLET BEFORE TIME OR UNTIL YOU ARE ASKED TO DO SO)

PHD-EE, November-2025 **UIET (ELECTRICAL ENGINEERING)**

Sr. No. 10008

Time : 1¼ Hours Roll No.	Total Quest		Max. Marks: 100 (in words)
Name:			
Father's Name:		Mother's Name:	
Date of Examination :			
(Signature of the candid	ate)	(Signatu	are of the Invigilator)

CANDIDATES MUST READ THE FOLLOWING INFORMATION INSTRUCTIONS BEFORE STARTING THE QUESTION PAPER.

All questions are compulsory.

The candidates must return the Question book-let as well as OMR answer-sheet to the Invigilator concerned before leaving the Examination Hall, failing which a case of use of unfair-means / mis-behaviour will be registered against him / her, in addition to lodging of an FIR with the police. Further the answer-sheet of such a candidate will not be evaluated.

Keeping in view the transparency of the examination system, carbonless OMR Sheet is provided to the candidate so that a copy of OMR Sheet may be kept by

the candidate.

Question Booklet along-with answer key of all the A,B,C and D code shall be got uploaded on the University Website immediately after the conduct of Entrance Examination. Candidates may raise valid objection/complaint if any, with regard to discrepancy in the question booklet/answer key within 24 hours of uploading the same on the University website. The complaint be sent by the students to the Controller of Examinations by hand or through email. Thereafter, no complaint in any case will be considered.

The candidate MUST NOT do any rough work or writing in the OMR Answer-Sheet. Rough work, if any, may be done in the question book-let itself. Answers

MUST NOT be ticked in the Question book-let.

There will be negative marking and a deduction of 0.25 marks for each wrong answers. Cutting, erasing, overwriting and more than one answer in OMR Answer-Sheet will be treated as incorrect answer.

Use only Black or Blue BALL POINT PEN of good quality in the OMR Answer-7.

BEFORE ANSWERING THE QUESTIONS, THE CANDIDATES SHOULD ENSURE THAT THEY HAVE BEEN SUPPLIED CORRECT AND COMPLETE BOOK-LET. COMPLAINTS, IF ANY, REGARDING MISPRINTING ETC. WILL NOT BE ENTERTAINED 30 MINUTES AFTER STARTING OF THE EXAMINATION.

Questions Code-D
Which measure of central tendency is most affected by extreme values?
(1) Mean
(2) Median
(3) Mode
(4) Range
During thesis writing, a bibliography differs from a reference list
because:
(1) It includes only cited works
(2) It includes both cited and consulted works
(3) It excludes books
(4) It contains only web sources
A researcher adopts mixed methods combining survey data and
interviews. This approach is used primarily to:
(1) Minimize data redundancy
(2) Avoid statistical computation
(3) Replace quantitative analysis
(4) Validate findings through triangulation
The scope of research in interdisciplinary studies means:
(1) Restricting inquiry to a single discipline
(2) Incorporating theories and methods from multiple fields
Aprillage and the second of th
(3) Using only qualitative data

Stion Questions		
In the research process, the formulation of hypotheses occurs:		
(1) Before literature review		
(2) After data collection		
(3) After reviewing existing theories and gaps		
(4) After statistical testing		
In a well-structured research report, the abstract should:		
(1) Discuss all details of the results		
(2) Provide a concise summary of objectives, methods, and findings		
(3) Contain only keywords		
(4) Focus on references used		
An empirical study primarily depends on :		
(1) Logical reasoning alone		
(2) Direct observation or experimentation		
(3) Secondary sources		
(4) Archival data only		
A good research problem must be :		
(1) Broad and undefined		
(2) Based purely on intuition		
(3) Feasible, researchable, and significant		
(4) Free from literature support		
Which of the following best ensures research reliability?		
(1) Clear hypotheses		
(2) Inclusion of multiple variables		
(3) Consistency in measurement procedures		
(4) Novel topic selection		

(2)

Question No.	Questions
10.	The concept of informed consent ensures that participants:
	(1) Are randomly selected
	(2) Receive financial incentives
	(3) Understand the study and agree voluntarily
	(4) Are anonymous
11.	The input resistance of a cathode ray oscilloscope is of the order of:
	(1) Tens of ohms
	(2) Mega ohms
	(3) Kilo ohms
	(4) Fraction of an ohm
12.	A three-phase diode bridge rectifier is fed from a 400 V RMS, 50 Hz
	three-phase AC source. If the load is purely resistive, then peak
	instantaneous output voltage is equal to:
91-44	(1) $400\sqrt{2} \text{ V}$
ya û În	(2) 400 V
	(3) $400\sqrt{\frac{2}{3}}$ V
	(4) $\frac{400}{\sqrt{3}}$ V
13.	As In an ideal dc-dc buck converter, the ratio of peak-peak inductor
	current ripple to peak-peak output voltage ripple is 20. If switching
	frequency is 10 kHz, then the output capacitor value will be:
	(1) $250 \mu F$
	(2) 350 μF
	(3) 500 μF
	(4) 1 mF

Question No.	Questions	
14.	In dc-dc buck converter, the PI controller helps in:	
	(1) Reducing settling time	
	(2) Increasing crossover frequency	
	(3) Eliminating steady-state error	
	(4) None of the options	
15.	The Conduction loss versus device current characteristic of a power	
	MOSFET is best approximated by:	
	(1) Parabola	
	(2) Straight line	
1 10	(3) Rectangular Hyperbola	
	(4) Exponentially decaying function	
16.	SCR is considered to be a semi-controlled device because :	
	(1) It can be turned OFF but not ON with a gate pulse	
	(2) It conducts only during one half cycle of an alternating current wave	
	(3) It can be turned ON but not OFF with a gate pulse	
	(4) It can be turned ON only during one half cycle of an alternating	
	voltage wave	
17.	The output voltage waveform of a three-phase square wave inverter	
	contains harmonics:	
	(1) only triple	
9	(2) even & odd	
	(3) only even	
	(4) only odd	
	(4) only odd	

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-D
(4)

Question	Questions Code-D		
No.	questions		
18.	What will be the ratio of the C.T. on the H.V side of a 3-phase		
	star/delta, 33/11 kV transformer if the protecting CT on the LV side		
	has a ratio of 300:5?		
	(1) $100:5/\sqrt{3}$ (2) $200:5/\sqrt{3}$		
1	(3) $150: 4/\sqrt{3}$ (4) $120: 6/\sqrt{3}$		
19.	A system is called a non-anticipatory system if its current output		
	depends on:		
	(1) Current input only		
	(2) Past input only		
	(3) Current input and past input		
	(4) Future input		
20.	In a gate turn off thyristor, turning off is achieved by:		
	(1) Latching current at gate		
15 927	(2) Holding current at gate		
	(3) Positive current at gate		
	(4) Negative current at gate		
21.	In force-voltage analogy, the analogy for the displacement is:		
	(1) Current		
	(2) Charge		
	(3) Resistance		
	(4) Flux linkage		
22.	Consider the loop transfer function $\frac{K(s+2)(s+6)}{(s+1)(s+3)(s+5)}$, the centroid of the		
	root locus will be located at:		
200	(1) 4		
	(2) -1		
	(3) -2		
	(4) -3		
	(3)		

Question No.	Questions
23.	In an ideal op-amp, the voltage gain of the common-mode signal is
	(1) 0
	(2) 1
	(3) infinity
	(4) depends on the input
24.	When the damping ratio lies between 0 and 1, the system is sai
	to be
	(1) Undamped
	(2) Underdamped
	(3) Critically Damped
	(4) Overdamped
25.	The ratio of maximum demand on generating station to the installed
	capacity of plant gives:
	(1) Load factor
	(2) Operating factor
	(3) Utilization factor
	(4) Capacity factor
26.	Which of the following transmission lines can be classified as a short
	transmission line?
	(1) length up to 600 km
	(2) length up to 500 km
	(3) length up to 200 km
- 1.0	(4) length up to 80 km

Question No.	Questions	
27.	Which of the following reaches full-load operation the fastest when starting from a cold state?	
	(1) Gas turbine plant	
	(2) Nuclear power plant	
	(3) Hydro power plant	
	(4) Thermal power plant	
28.	In a load flow problem solved by Newton-Raphson method with polar	
J 11 11	coordinates, the size of the Jacobian matrix is 100×100. If there are 20	
	PV buses in addition to PQ buses and a slack bus, the total number of	
	buses in the system is:	
0.23	(1) 59	
	(2) 60	
	(3) 61	
	(4) 71	
29.	In thermal power plants, the pressure in the working fluid cycle is	
	developed by:	
	(1) Feed water pump	
	(2) Condenser	
	(3) Super-heater	
	(4) Turbine	

Question No.	_
30.	A power system is supplied by three generating units rated at 150 MW,
	200 MW and 250 MW, respectively. What is the maximum load that
	can be securely connected to this system if the simultaneous outage of
	two generating units is not considered to be a credible event?
	(1) 150 MW
	(2) 250 MW
	(3) 350 MW
	(4) 400 MW
31.	The total charge entering a terminal between $t=1$ sec and $t=2$ sec it
	the current passing the terminal $i = (3t^2 - t)A$ is
	(1) $\frac{11}{2}c$ (2) $\frac{13}{2}c$
	(4)
32.	nodes are there in a network
	independent loops.
	(1) 17
	(2) 12
	(3) 7
	(4) 5
33.	The current through a branch in a linear network is 2 A when the
_	polarity is reversed, what will be the current through the same
	(1) -20 A
	(2) -2 A
	(3) -1A
_	(4) -0.2 A

Question No.	Questions Code-D
34.	At the terminal to which the load is connected, the Thevenin's resistance and Thevenin's voltage are 10 Ω and 40 V, respectively. What is the maximum power that can be supplied to the load? (1) 160 w (2) 120 W (3) 80 W (4) 40 W
35.	Energy stored in a 10 mH inductor when the current through increases from zero to 2 A is (1) 10 J (2) 0.2 J (3) 0.04 J (4) 0.02 J
	A series-connected load draws a current $i(t) = 4\cos(100\pi t + 10^\circ)$ when the applied voltage is $v(t) = 120\cos(100\pi - 20^\circ)V$. The apparent power and the power factor of the circuit, respectively are: (1) 240 VA, 0.866 leading (2) 240 VA, 0.866 leading (3) 480 VA, 0.866 leading (4) 480 VA, 0.866 leading

Question No.	
37.	A three-phase star-connected load takes 1.8 kW at a power factor of 0.
	from a 230 V, 60 Hz supply. The resistance and inductance of each
	phase of the load, respectively are:
	(1) 7.35 Ω, 25.6 mH
	(2) 7.35 Ω, 33.8 mH
	(3) 7.35 Ω, 45.6 mH
	(4) 7.35Ω , 52.2 mH
38.	Which three-phase connection can be used in a transformer to
	introduce a phase difference of 30° between its output and
	corresponding input line voltages?
	(1) Delta-zigzag
	(2) Star-star
	(3) Delta-delta
	(4) Star-delta
39.	A rotating electrical machine having its self-inductances of both the
Comment of the Commen	stator and the rotor windings, independent of the rotor position will be
	definitely not developed :
	(1) Starting torque
100	(2) Synchronizing torque
-	(3) Hysteresis torque
	(4) Reluctance torque

Question	Questions
No. 40.	A synchronous generator is supplying a zero-power factor (lagging)
10.	load at rated current. What is the nature of the armature reaction?
	(1) Ineffective
	(2) Demagnetizing
	(3) Cross-magnetizing
	(4) Magnetizing
41.	An appropriate software for statistical data analysis and graphical
	representation is:
	(1) MS Paint
	(2) SPSS or R
	(3) WordPad
194.5	(4) VLC Media Player
42.	In quantitative research, ANOVA is used to:
	(1) Compare variances across multiple groups
	(2) Analyze qualitative responses
	(3) Compute median values
	(4) Summarize textual data
43.	Which measure best describes data skewness?
	(1) Mean deviation
	(2) Standard error
	(3) Kurtosis
	(4) Skewness coefficient
44.	Data entry errors can be minimized by:
	(1) Repeated manual entry
	(2) Using data validation tools during coding
	(3) Avoiding software use
	(4) Ignoring outliers

Question No.	Questions
45.	When writing a research paper, the "IMRAD" structure stands for :
	(1) Introduction, Methodology, Results and Discussion
	(2) Introduction, Model, Results and Data
	(3) Issue, Method, Report and Data
	(4) Inquiry, Measurement, Result, and Development
46.	In the binary system, the base value is:
	(1) 2
	(2) 8
	(3) 10
	(4) 16
47.	The hexadecimal number system uses digits up to:
-	(1) 8
-	(2) 9
	(3) F (15 in decimal)
	(4) E (14 in decimal)
48.	Converting binary 1010 to decimal gives :
	(1) 8
10	(2) 9
((3) 10
(4) 12
19.	The process of referencing in research ensures :
1	1) Reduction of originality
(2) Traceability of information sources
(3	B) Elimination of peer review
(4	Avoidance of data collection

Question No.	Questions
50.	The final chapter of a thesis generally focuses on :
	(1) Data collection tools
	(2) Literature survey
	(3) Abstract writing
	(4) Results interpretation and future scope
51.	In observational research, the Hawthorne effect refers to:
	(1) Respondents falsifying data intentionally
	(2) Participants altering behavior when observed
	(3) Interviewer's bias in recording responses
	(4) Data loss during analysis
52.	Secondary data is advantageous mainly because it:
	(1) Is always more accurate
	(2) Eliminates bias entirely
	(3) Requires no ethical approval
	(4) Saves time and cost for preliminary insights
53.	The most critical feature of a good hypothesis is:
	(1) Non-testability
	(2) Vagueness
	(3) Testability and falsifiability
	(4) Lack of prediction
54.	While writing a research paper, paraphrasing must always be
	accompanied by :
	(1) New data
	(2) Source citation
	(3) Footnotes only
	(4) Statistical validation

No		Questions
55.	The	literature review primarily helps a researcher to:
	3	Skip the background section
	(2)	Prove the hypothesis before data collection
	(3)	Identify gaps and justify the new study
	(4)	Avoid referencing
56.	The	scope of research in engineering disciplines often emphasizes:
	3	Application of fundamental principles to solve technical problems
	(2)	Historical review of theories only
	(3)	Social observation
	(4)	Political implications
57.	A sa	A sampling frame is defined as:
	Ξ	The total population of the world
	(2)	A complete list of units from which a sample is drawn
	(3)	The process of selecting random variables
	(4)	An algorithm for data analysis
58.	Whi	Which of the following ensures validity of a research tool?
	Ξ	Using complex questions
	(2)	Simple statistical computation
	(3)	High response rate
	4	The tool measures exactly what it is intended to measure
59.	Inr	In research ethics, fabrication refers to:
	Ξ	Copying data from others
	3	Using another's ideas with citation
	3	Making up data or results
	(4)	Modifying tables

				64.						63.					62.	- 1				61.					60.	Question No.
(4) Publishing findings	(3) Final report submission	(2) Collecting full-scale data	(1) Testing tools and refining r	A pile	(4) Quota sampling	(3) Snowball sampling	(2) Random sampling	(1) Purposive sampling	selected?	Which type of sampling provides equal	(4) Avoid referencing past studies	(3) Rely on verifiable data and established methodology	(2) Include emotional interpretation	(1) Use personal opinions	The best	(4) Avoid graphical representation	(3) Reduce hypothesis complexity	(2) Replace data analysis	(1) Show the visual or theoretical relationship among	A conceptual framework in research is developed to:	(4) Logical sequence and clear wording	(3) Repetitive statements	(2) Jargon and technical bias	(1) Leading questions to guide responses). A well-designed questionnaire should include	,
			Testing tools and refining methodology before main research	TOTAL TOTAL OF THE PARTY OF THE					Company of the State of the Sta	es equal chance for every element to be	ıdies	d established methodology	etation		way to ensure objectivity in research reporting is to:	ation	xity		ical relationship among variables	earch is developed to:	rwording			responses	should include :	Ancertone

Question		Questions
65.	E	The credibility of qualitative data can be enhanced through:
	Ē	Prolonged engagement and triangulation
	(2)	Statistical modeling
	(3)	Limiting participant interaction
	4	Reducing sample size
.99	The	e process of converting raw data into meaningful interpretation is
	ca	called:
	(1)	Data coding and analysis
	(2)	Data transcription only
	(3)	Data entry
	(4)	Report binding
.19	Wh	When publishing in reputed journals, peer review serves to:
	Ξ	Delay publication
	8	Validate research quality and originality
	(3)	Eliminate author rights
	(4)	Ensure open access only
.89	The 1	main advantage of using computers in data analysis is:
	(£)	Human bias elimination and computational accuracy
	(2)	Inability to handle large data
	(3)	Costly manual effort
	(4)	Reduced date 1:

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-D (16)

Question	Questions
.69	In referencing style, "et al." denotes:
3	(1) The title of the article
•	(2) The editor's name
	(3) A journal abbreviation
	(4) Additional co-authors beyond the first
.02	While writing a book or article, footnotes are primarily used to:
	(1) Add unrelated commentary
	(2) Provide source details or additional explanation
	(3) Replace bibliography
	(4) Expand the word count
7.1.	The DC motor, which can provide zero speed regulation at full load
	without any controller, is
	(1) Differential compound
	(2) Cumulative compound
	(3) Shunt
	(4) Series
72.	A 2 pole, 50 Hz, 11 kV, 100 MW alternator has an inertia constant is
	4s. The approximate value of moment of inertia in (kg.m2) is?
	(1) 8070
	(2) 8090
	(3) 8110
	(4) 8130

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-D (17)

Question No.	Questions
73.	If the base kVA is 25,000, then a 5000 kVA alternator with 8%
	reactance will have (per-unit or percentage reactance on the
	new base).
	(1) 20% reactance
	(2) 30% reactance
	(3) 40% reactance
	(4) 50% reactance
74.	When a synchronous motor is running at synchronous speed, the
	damper winding produces:
	(1) Damping torque
	(2) Eddy current torque
	(3) Torques aiding the developed to torque
	(4) No torque
75.	If the iron core of a transformer is replaced by an air core, then the
	hysteresis losses in the transformer will:
	(1) increase
	(2) decrease
100	(3) remain unchanged
	(4) become zero
76.	Convolution of $x(t + 5)$ with impulse function $\delta(t - 7)$ is equal to:
	(1) $x(t+2)$
	(2) $x(t-2)$
	(3) $x(t + 12)$
	(4) $x(t-12)$

Question	Questions
77.	In the state-equation of a discrete-time system (assume zero input), an
	equilibrium point is one for which , where x(k) is the state vector.
	(1) $x(k) = 0$
	(2) $x(k+1) = 0$
	(3) Both (1) and (2)
	(4) $x(k+1) = x(k)$
78.	A linear system is described by the state-space model $x(t) = -x(t) + 2u(t)$,
	$y(t) = 0.5x(t) + u(t)$. The transfer function $\frac{y(s)}{u(s)}$ of the system is
	(1) $(s+2)/(s+1)$
	(2) $1/(s+1)$
	(3) $(s+1)/(s+2)$
	(4) $1/(s+2)$
79.	Consider a continuous-time system with input, x(t) and output, y(t)
	given by $y(t) = x(t) \cos(t)$. This system is:
	(1) Linear, time-variant
	(2) Linear, time-invariant
	(3) Nonlinear, time-invariant
	(4) Nonlinear, time-variant
80.	Poles of second-order models with the same damping ration will lie:
	(1) On the real axis
	(2) On imaginary axis
	(3) On a radial line from origin
	(4) None of these options

 81. Fundamental research is primarily aimed at: (1) Developing new technology for immediate application (2) Exploring theoretical foundations without direct commercial intent (3) Solving specific industrial problems (4) Conducting market feasibility studies (a) Beneficence (b) Integrity and intellectual honesty (c) Integrity and intellectual honesty (d) Non-maleficence (e) Integrity and intellectual honesty (g) Non-maleficence (h) Confidentiality (e) A researcher studies the impact of social media on students' academic performance by conducting interviews and thematic coding. This represents which research approach? (1) Quantitative descriptive (2) Experimental (3) Meta-analytic (4) Qualitative phenomenological (5) Anecdotal evidence (6) Anecdotal evidence (7) Inginal systems (8) Inginal systems (8) Inginal systems (9) Inginal systems (1) Dependence on intuition (2) Anecdotal evidence 	y aimed at : or immediate application ons without direct commercial intent
oi .	Developing new technology for immediate application Exploring theoretical foundations without direct commercial intent Solving specific industrial problems
oi .	ons without direct commercial intent
20 2 3	oblems
91	
oi .	y studies
	n primarily violates which ethical
	esty
	social media on students' academ
	rviews and thematic coding This
	9
(2) Anecdotal evidence (3) Logical most	4,1,000
	scientific method in research?
(4) Pure theoretical speculation	ar vandation

-	
Question	
85.	The most appropriate first step in selecting a research topic is to:
	(1) Search funding
4.54	(2) Identify a gap through literature review
	(3) Collect preliminary data
	(4) Decide on the methodology
.98	A researcher publishes identical results in two journals without
	disclosure. This is an example of:
	(1) Redundant publication
	(2) Paraphrasing
	(3) Selective reporting
	(4) Fabrication
87.	The purpose of a research design is to:
	(1) Arrange the references alphabetically
	(2) Outline the logical structure for data collection and analysis
	(3) Provide raw data summaries
	(4) Ensure the report format is consistent
88.	In questionnaire design, "double-barreled questions" should be avoided
	because:
	(1) They involve two issues in a single item and confuse respondents
	(2) They are too short to provide adequate data
	(3) They ensure high response rates
	(4) They maintain objectivity
.68	Which of the following is not a primary data collection method?
	(1) Observation
	(2) Questionnaire
	(3) Literature review
	(4) Interview

PHD-EE-November, 2025 [UIET (Electrical Engineering)] Code-D (21)

Question No.	Questions
90.	An in-depth interview technique is most appropriate when: (1) A large sample needs to be surveyed quickly (2) The study focuses on participants' perceptions and experiences (3) Respondents prefer anonymity
	(4) Quantitative comparison is required
91.	A generating station has a maximum demand of 30 MW, averaged demand of 18 MW, and a plant capacity of 50%. The reserve capacity the plant is:
	(1) 5MW (2) 6MW
	(3) 10 MW (4) 12 MW
92.	The sequence components of the fault current are as follows: $I_{positive} = j \ 1.5 \ p. \ u., \ I_{negative} = -j \ 0.5 \ p. \ u., \ I_{zero} = -j \ 1p. \ u.$ The type of fault in the system is: (1) LG
	(2) LL (3) LLLG (4) LLG
	Which among the following quantities are to be determined in voltage controlled buses? (1) Q and δ (2) Q and V (3) V and δ (4) P and Q

	Coue-D
Question No.	Questions
94.	If we increase the spacing between the phase conductors, the line
	capacitance: (1) Increases
	11.00 / 12.00
	(2) Decreases (3) Remains unaffected
	(4) None of the options
95.	Impedance relay can be used for protection.
	(1) overcurrent
	(2) differential
	(3) distance
	(4) overvoltage
96.	The Ferranti effect causes which of the following at the receiving end
	of a transmission line?
	(1) Voltage drop
	(2) Voltage rise
	(3) Power loss
	(4) Power factor improvement
97.	A 40 kVA transformer has a core loss of 400 W and a full-load coppe
	loss of 800 W. The proportion of full load at maximum efficiency is :
	(1) 50%
	(2) 62.3%
4	(4) 85%

SET_Y

Q.NO Set A Set B Set C Set D													
	-	-	THE RESERVE AND PARTY.	Set D									
1	2	2	1	1									
2	2	2	3	2									
3	4	1	2	4									
4	3	2	1	2									
5	2	3	1	3									
6	1	4	1	2									
7	2	3	2	2									
8	1	3	1	3									
9	3	1	4	3									
10	2	3	2	3									
11	1	1	2	2									
12	2	4	4	1									
13	4	4	3	1									
14	2	4	2	3									
15	3	4	3	1									
16	2	1	1	3									
17	2	2	2	4									
18	3	4	4	1									
19	3	4	3	3									
20	3	2	4	4									
21	2	2	2	2									
22	4	1	2	2									
23	3	4	4	1									
24	2	2	3	2									
25	3	1	2	3									
26	1	1	1	4									
27	2	3	2	3									
28	4	3	1	3									
29	3	2	3	1									
30	4	4	2	3									
31	2	1	2	1									
32	1	2	1	4									
33	4	4	1	4									
34	2	2	3	4									
35	1	3	1	4									
36	1	2	3	1									
37	3	2	4	2									
38	3	3	1	4									
39	2	3	3	4									
40	4	3	4	2									
41	1	2	1	2									
42	3	1	2	1									
43	2	1	3	4									
44	1	3	4	2									
45	1	1	4	1									
46	1	3	2	1									
47	2	4	4	3									
48	1	1	1	3									
49	4	3	1	2									
50	2	4	3	4									

70.11.2025 STUDIONS

100	99	98	97	98	25	94	93	92	3 2	2 2	8	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	5/	56	55	54	53	52	51	1
4	ω	1	4) F		, L	-		3	-	w	1	3	2	3	2	THE PROPERTY.	4	2	3	1	3	w	4	w	2	1	2	2	ω	1	1	4	2	4	4	3	2	1	2	4	4	2	1-	4	4	4	4	-	
2	w	1	7	٦ ١		ا د	4 0		,	3	4	3	4	2	1	w	2	3	4	2	2	4	· 1	2	1	1	1	2	ω	1	1	3	1	ω	2	ω	2	1	4	2	3	1	1	4	2	4	4	ω	2	1	U
2	4	4		٦ ١	1	4	4		١,	-	ω	3	3	2	2	3	2	4	2	1	1	ω	1	3	2	З	2	1	4	2	3	1	ω	ω	4	ω	2	-	2	2	4	2	3	з	1	1	2	4	۱,	2	P
-		u	-	w	2	u l	2	-	4	2	2	w	1	2	1	2	ω	4	2	2	ω	1	1	4	2	4	4	ω	2	1	2	4	1	2	-	-	-	2	ω	-	4	ш	4	2	-	ω	2	ω.	4		ナ

Hi. 11-mes Stylamin 11. 11